

Product datasheet for **SC331262**

TBC1D23 (NM_001199198) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TBC1D23 (NM_001199198) Human Untagged Clone
Tag:	Tag Free
Symbol:	TBC1D23
Synonyms:	NS4ATP1; PCH11
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC331262 representing NM_001199198.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGCGGAAGGAGAAGATGTGCCGCGCTGCCAACGTCGAGCGGCGACGGCTGGGAAAAAGATCTTGAA
GAAGCTCTGGAAGCAGGAGGTTGTGATCTTGAAACGTTGAGAAAATATAATTCAAGGAAGACCGCTGCCT
GCTGATCTGAGGGCCAAAGTTTGAAGATTGCTCTGAATGTTGCAGGAAAAGGTGATAGTTTGGCATCA
TGGGATGGTATTTTGTAGACTTGCCAGAACAGAACACTATTCACAAAGATTGCCTGCAGTTTATTGACCAG
CTTTCAGTGCCAGAGGAGAAGGCAGAGAATTACTTTTGGATATTGAATCTGTAATTACCTTTTATTGT
AAATCACGTAACATTAATATAGCACATCCCTTAGCTGGATACATCTACTGAAACCATTGGTGCATCTT
CAACTGCCACGCAGCAGATTATACAACCTGCTTTTATGCCATAATGAATAAGTACATTCACAGGGATTGT
TCCAGAAAAGGGAGACCATTTCTCTTCAGGTTGCTCATCCAATACCATGAGCCTGAGCTTTGTTCT
TATCTTGATACAAAGAAAATTACTCCAGACTCCTATGCACTCACTGGCTTGGAAAGTCTTTTGCATGT
TACTGTTCCACTGAAGTCACTCAGGCAATATGGGATGGATATCTACAACAAGCAGATCCATTTTTTATT
TATTTCTTAATGTTAATTATCCTTGTTAATGCAAAAAGAAGTTATTTAACACAAGAGTCAGACAGCAAA
GAAGAAGTTATCAAGTTCTTGGAAAATACTCCATCCAGTCTGAATATAGAAGATATAGAAGACCTTTTC
TCTCTGGCTCAGTATTATTGCAGCAAAACACCGGCTTCTTTTAGGAAGGATAATCACCATCTCTTGGT
AGTACTTTGTTGGGAATTAAGGATGATGATGCAGATCTGAGTCAGGCTCTTTGTCTGGCCATCTCCGTG
TCAGAGATCCTTCAAGCGAATCAGCTACAAGGGGAAGGAGTCCGTTCTTTGTGGTGGATTGCCGCTCT
GCAGAACAATAAATGCTGGGCATTTATCAACTGCTTCCACTTAGATTCAGACCTGATGCTTCAGAAAT
CCATCTGAGTTTGCACAGTCAGTAAAATCCTTGCTGGAAGCACAGAAGCAGTCCATTGAGTCTGGCTCC
ATAGCTGGTGGGAGCACCTCTGTTTTATGGGCAGTGGCAGGGAGGAAGAAGACATGTATATGAACATG
GTCCTGGCACACTTTTTACAGAAAAACAAGAATATGTGAGTATTGCCAGTGGAGGATTTATGGCACTG
CAGCAGCACCTGGCAGACATTAATGTGGATGGACCAGAAAATGGATATGGCCATTGGATTGCTAGTACC
TCAGGCTCAAGGAGCAGTATCAATTCTGTTGATGGTGAATCTCCTAATGGCTCAAGTGATAGAGGAATG
AAATCACTAGTAAATAAAATGACTGTGGCTTTGAAGACAAAATCCGTTAATGTCAGGGAAAAAGTTATC
AGTTTTATAGAGAATACATCAACTCCTGTGGATCGAATGTCTTTCAATCTTCTTGGCCAGACAGATCA
TGTACAGAGCGGCATGTGAGCAGCAGTGACAGAGTGGCAAGCCTTACCCTGGCGTAAAGCCTGTTTTT
AGCATTGGGGATGAAGAAGAATACGACACAGATGAAATTGACAGTTCTTCAATGTCAGATGATGATAGA
AAAGAGTTGTAAACATTCAGACTTGGATAAACAACCAGATGTCAAACATCATTTTCTGTAAAGAA
GTAAAAGAAAGTGGACACATGTTTCCAGTCATCTGTTGGTACTGCAACACATATGACTGTTTAAAGG
GAGATTGTTTACGGAAAGGATTGGCTTATATACAGTCTCGACAAGCGCTGAATTCTGTAGTTAAAATT
ACATCCAAAAAAAACATCCTGAACTATTACCTTCAAGTATGGAATAGCAGTGTTCAGGAATAGAA
ATCTTGGCAATCGAAAGGATTTTGATTCCAATGCAGGGGATGCAACTAAAGCCATAAAAACAGCAGATC
ATGAAAGTTTTGGATGCTTTGAAAGTAA
  
```

Restriction Sites: Sgfl-MluI

ACCN: NM_001199198

Insert Size: 2100 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001199198.2
RefSeq Size:	3886 bp
RefSeq ORF:	2100 bp
Locus ID:	55773
UniProt ID:	Q9NUY8
Cytogenetics:	3q12.1-q12.2
Protein Families:	Druggable Genome
MW:	78.3 kDa
Gene Summary:	<p>Putative Rab GTPase-activating protein which plays a role in vesicular trafficking (PubMed:28823707). Involved in endosome-to-Golgi trafficking. Acts as a bridging protein by binding simultaneously to golgins, including GOLGA1 and GOLGA4, located at the trans-Golgi, and to the WASH complex, located on endosome-derived vesicles (PubMed:29084197, PubMed:29426865). Together with WDR11 complex facilitates the golgin-mediated capture of vesicles generated using AP-1 (PubMed:29426865). Plays a role in brain development, including in cortical neuron positioning (By similarity). May also be important for neurite outgrowth, possibly through its involvement in membrane trafficking and cargo delivery, 2 processes that are essential for axonal and dendritic growth (By similarity). May act as a general inhibitor of innate immunity signaling, strongly inhibiting multiple TLR and dectin/CLEC7A-signaling pathways. Does not alter initial activation events, but instead affects maintenance of inflammatory gene expression several hours after bacterial lipopolysaccharide (LPS) challenge (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (1) represents the longer transcript and encodes the longer isoform (1).</p>