

Product datasheet for **SC331478**

EZH2 (NM_001203248) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EZH2 (NM_001203248) Human Untagged Clone
Tag:	Tag Free
Symbol:	EZH2
Synonyms:	ENX-1; ENX1; EZH2b; KMT6; KMT6A; WVS; WVS2
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC331478 representing NM_001203248.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGGCCAGACTGGGAAGAAATCTGAGAAGGGACCAGTTTGTGGCGGAAGCGTGTAAAATCAGAGTAC
ATGCGACTGAGACAGCTCAAGAGGTTGACACGAGCTGATGAAGTAAAGAGTATGTTTAGTTCCAATCGT
CAGAAAAATTTGGAAAGAACGGAATCTTAAACCAAGAATGGAACACAGCGAAGGATACAGCCTGTGCAC
ATCCTGACTTCTGTTCGGTGACCAGTGACTTGGATTTTCCAACACAAGTCATCCCATTAAGAGCTCTG
AATGCAGTTGCTTCAGTACCCATAATGTATTCTTGGTCTCCCCTACAGCAGAATTTTATGGTGGAAGAT
GAAACTGTTTTACATAACATTCTTATATGGGAGATGAAGTTTTAGATCAGGATGGTACTTTTCATTGAA
GAACTAATAAAAAATTATGATGGGAAAGTACACGGGGATAGAGAAATGTGGGTTTATAAATGATGAAATT
TTTGTGGAGTTGGTGAATGCCCTTGGTCAATATAATGATGATGACGATGATGATGATGGAGACGATCCT
GAAGAAAGAGAAGAAAAGCAGAAAGATCTGGAGGATCACCGAGATGATAAAGAAAGCCGCCACCTCGG
AAATTTCTTCTGATAAAATTTTGAAGCCATTTCTCAATGTTCCAGATAAGGGCACAGCAGAAGAA
CTAAAGGAAAAATAAAGAAGTACCGAACAGCAGCTCCAGGGCAGCTTCTCCTGAATGTACCCCC
AACATAGATGGACCAATGCTAAATCTGTTGAGAGAGCAAAGCTTACACTCCTTTCATACGCTTTTC
TGTAGGCGATGTTTTAAATATGACTGCTTCTACATCCTTTTCATGCAACACCCAACACTTATAAGCGG
AAGAACACAGAAACAGCTCTAGACAACAAACCTTGTGGACCACAGTGTTACCAGCATTGGAGGGAGCA
AAGGAGTTTGTGCTGCTCACCCTGAGCGGATAAAGACCCCAACAAACGTCCAGGAGGCCGCGAGA
AGAGGACGGCTTCCCAATAACAGTAGCAGGCCAGCACCACCCACCATTAATGTGCTGGAATCAAAGGAT
ACAGACAGTGATAGGGAAGCAGGGACTGAAACGGGGGAGAGAACAATGATAAAGAAGAAGAAGAGAAG
AAAGATGAAACTTCGAGCTCCTCTGAAGCAAATCTCGGTGTCAAACACCAATAAAGATGAAGCCAAAT
ATTGAACCTCTGAGAATGTGGAGTGGAGTGGTGTGAGCCTCAATGTTTAGAGTCTCATTGGCACT
TACTATGACAATTTCTGTGCCATTGCTAGGTTAATTGGGACCAAAACATGTAGACAGGTGTATGAGTTT
AGAGTCAAAGAATCTAGCATCATAGCTCCAGCTCCCGCTGAGGATGTGGATACTCCTCAAGGAAAAAG
AAGAGGAAAACACCGTTGTGGGCTGCACACTGCAGAAAGATACAGCTGAAAAAGGACGGCTCCTTAAC
CATGTTTACAACATCAACCCTGTGATCATCCACGGCAGCCTTGTGACAGTTCGTGCCCTTGTGTGATA
GCACAAAATTTTGTGAAAAGTTTTGTCAATGTAGTTCAGAGTGTCAAAACCGCTTCCGGGATGCCGC
TGCAAAGCACAGTGCAACACCAAGCAGTGCCCGTGTACCTGGCTGTCCGAGAGTGTGACCCTGACCTC
TGTCTTACTTGTGGAGCCGCTGACCATTGGGACAGTAAAAATGTGCTCCTGCAAGAACTGCAGTATTCAG
CGGGGCTCAAAAAGCATCTATTGCTGGCACCATCTGACGTGGCAGGCTGGGGGATTTTTATCAAAGAT
CCTGTGCAGAAAATGAATTCATCTCAGAATACTGTGGAGAGATTATTTCTCAAGATGAAGCTGACAGA
AGAGGGAAAGTGTATGATAAATACATGTGACGCTTCTGTTCAACTTGAACAATGATTTTGTGGTGGAT
GCAACCCGCAAGGGTAACAAAATTCGTTTTGCAAATCATTGCGTAAATCCAAACTGCTATGCAAAAGTT
ATGATGGTTAACGGTGATCACAGGATAGGTATTTTGGCAAGAGAGCCATCCAGACTGGCGAAGAGCTG
TTTTTTGATTACAGATACAGCCAGGCTGATGCCCTGAAGTATGTCGGCATCGAAAGAGAAATGGAATC
CCTGA
  
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_001203248

Insert Size: 2214 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001203248.1</u>
RefSeq Size:	2681 bp
RefSeq ORF:	2214 bp
Locus ID:	2146
UniProt ID:	<u>Q15910</u>
Cytogenetics:	7q36.1
Protein Families:	Druggable Genome, Transcription Factors
MW:	84.4 kDa
Gene Summary:	<p>This gene encodes a member of the Polycomb-group (PcG) family. PcG family members form multimeric protein complexes, which are involved in maintaining the transcriptional repressive state of genes over successive cell generations. This protein associates with the embryonic ectoderm development protein, the VAV1 oncoprotein, and the X-linked nuclear protein. This protein may play a role in the hematopoietic and central nervous systems. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Feb 2011]</p> <p>Transcript Variant: This variant (4) lacks two in-frame segments in the coding region, as compared to variant 1. The resulting isoform (d) lacks two internal segments, as compared to isoform a.</p>