

## Product datasheet for **SC331765**

### CDHH (CDH13) (NM\_001220488) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	CDHH (CDH13) (NM_001220488) Human Untagged Clone
Tag:	Tag Free
Symbol:	CDHH
Synonyms:	CDHH; P105
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

**Fully Sequenced ORF:** >SC331765 representing NM\_001220488.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGAAAACGCCGCCGGCGCTTCTAGTCGGACAAAATGCAGCCGAGAAGTCCGCTCGTTCTGTGCGTTC
TCCTGTCCCAGGGCCAAACAACCCACCTGCACTGCATGGTTCCTCCAGCAAGAACATCCCAGTGAGAAT
GGCCACAGATGCCTGGGCGTGACCCACCTGCAGCTTCAACCATGCAGGTGCTGCTAACATCTGCA
GAAGATTTGGACTGCACCTCGGATTTTCAGCAGAAAGTGTCCATATCAATCAGCCAGTGAATTCATT
GAGGACCAGTCAATTCTAACTTGACCTTCAGTACTGTAAAGGAAACGACAAGCTACGCTATGAGGTC
TCGAGCCATACTTCAAGGTGAACAGCGATGGCGGCTTAGTTGCTCTGAGAAACATAACTGCAGTGGGC
AAAACCTGTTCGTCCATGCACGGACCCCCATGCGGAAGATATGGCAGAACTCGTGATTGTCGGGGG
AAAGACATCCAGGGCTCCTTGCAGGATATATTTAAATTTGCAAGAACTTCTCCTGTCCCAAGACAAAAG
AGGTCCATTGTGGTATCTCCATTTTAATTCCAGAGAATCAGAGACAGCCTTCCCAAGAGATGTTGGC
AAGGTAGTCGATAGTGACAGGCCAGAAAGTCCAAGTCCGGCTCACTGGAAAGGGAGTGGATCAAGAG
CCTAAAGGAATTTTCAAGTCAATGAGAACACAGGGAGCGTCTCCGTGACACGGACCTTGGACAGAGAA
GTAAATCGCTGTTTATCAACTATTTGTGGAGACCACTGATGTCAATGGCAAACTCTCGAGGGGCCGGTG
CCTCTGGAAGTCAATTGTGATTGATCAGAATGACAACCGACCGATCTTTCGGGAAGGCCCTACATCGGC
CACGTCATGGAAGGGTACCCACAGGCACCACAGTGTGCGGATGACAGCCTTGTATGCAGATGACCCA
GCCACCGATAATGCCCTCCTGCGGTATAATATCCGTGAGCAGACGCTGACAAGCCATCTCCCAACATG
TTCTACATCGATCCTGAGAAAGGAGACATTGTCCTGTTGTGTCACCTGCGCTGCTGGACCGAGAGACT
CTGGAAAATCCCAAGTATGAACTGATCATCGAGGCTCAAGATATGGCTGGACTGGATGTTGGATTAACA
GGCAGGCCACAGCCACGATCATGATCGATGACAAAAATGATCACTCACCAAAATTCACCAAGAAAGAG
TTTCAAGCCACAGTCGAGGAAGGAGCTGTGGGAGTTATTGTCAATTTGACAGTTGAAGATAAGGATGAC
CCCACCACAGGTGCATGGAGGGCTGCCTACACCATCATCAACGGAAACCCCGGCAGAGCTTTGAAATC
CACACCAACCCTCAAACCAACGAAGGGATGCTTTCTGTTGTCAAACCATGGACTATGAAATTTCTGCC
TTCACACCCTGCTGATCAAAGTGGAAAATGAAGACCCACTCGTACCCGACGCTCTCTACGGCCCCAGC
TCCACAGCCACCGTCCACATCACTGTCTGGATGTCAACGAGGGCCAGTCTTCTACCCAGACCCCATG
ATGGTGACCAGGCAGGAGGACCTCTCTGTGGCAGCGTGTGCTGACAGTGAATGCCACGGACCCCGAC
TCCCTGCAGCATCAAACCATCAGGTATTCTGTTTACAAGGACCCAGCAGGTTGGTGAATATAACCC
ATCAATGGGACTGTTGACACCACAGCTGTGCTGGACCGTGAAGTCCCATTTGTGACAACAGCGTGTAC
ACTGCTCTCTTCTGGCAATTGACAGTGGCAACCCTCCCGCTACGGGCACTGGGACTTTGCTGATAACC
CTGGAGGACGTGAATGACAATGCCCGTTCATTTACCCACAGTACTGAAGTCTGTGATGATGCCAAA
AACCTCAGTGTAGTCATTTTGGGAGCATCAGATAAGGATCTTACCCGAATACAGATCCTTTCAAATTT
GAAATCCACAAAACAGCTGTTCCCTGATAAAGTCTGGAAGATCTCCAAGATCAACAATACACACGCCCTG
GTAAGCCTTCTTCAAATCTGAACAAAGCAAACACTACAACCTGCCATCATGGTGACAGATTACAGGGAAA
CCACCATGACGAATATCACAGATCTCAGGGTACAAGTGTCTCTGCAGGAATTCAAAGTGGACTGC
AACGCGGCAGGGGCCCTGCGCTTCAGCCTGCCCTCAGTCTGCTCCTCAGCCTTTCAGCTTAGCTTGT
CTGTGA
  
```

**Restriction Sites:** SgfI-MluI

**ACCN:** NM\_001220488

**Insert Size:** 2283 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001220488.1](#)

**RefSeq Size:** 4134 bp

**RefSeq ORF:** 2283 bp

**Locus ID:** 1012

**Cytogenetics:** 16q23.3

**MW:** 83.4 kDa

**Gene Summary:** This gene encodes a member of the cadherin superfamily. The encoded protein is localized to the surface of the cell membrane and is anchored by a GPI moiety, rather than by a transmembrane domain. The protein lacks the cytoplasmic domain characteristic of other cadherins, and so is not thought to be a cell-cell adhesion glycoprotein. This protein acts as a negative regulator of axon growth during neural differentiation. It also protects vascular endothelial cells from apoptosis due to oxidative stress, and is associated with resistance to atherosclerosis. The gene is hypermethylated in many types of cancer. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, May 2011]

Transcript Variant: This variant (2) includes an alternate exon in the 5' coding region, compared to variant 1. It encodes isoform 2, which is longer and has a distinct N-terminus, compared to isoform 1.