

Product datasheet for **SC331796**

PKC theta (PRKCQ) (NM_001242413) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PKC theta (PRKCQ) (NM_001242413) Human Untagged Clone
Tag:	Tag Free
Symbol:	PKC theta
Synonyms:	nPKC-theta; PRKCT
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC331796 representing NM_001242413.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGTCGCCATTTCTTCGGATTGGCTTGTCCAACTTTGACTGCGGGTCTGCCAGTCTTGTGAGGGCGAG
GCTGTTAACCCCTACTGTGCTGTGCTCGTCAAAGAGTATGTCGAATCAGAGAACGGGCAGATGTATATC
CAGAAAAAGCCTACCATGTACCCACCCTGGGACAGCACTTTTGATGCCCATATCAACAAGGGAAGATC
ATGCAGATCATTGTGAAAGGCAAAAACGTGGACCTCATCTCTGAAACCACCGTGGAGCTCTACTCGCTG
GCTGAGAGGTGCAGGAAGAACAACGGGAAGACAGAAATATGGTTAGAGCTGAAACCTCAAGGCCGAATG
CTAATGAATGCAAGATACTTTCTGGAAATGAGTGACACAAAGGACATGAATGAATTTGAGACGGAAGGC
TTCTTTGCTTTGCATCAGCGCCGGGGTCCATCAAGCAGGCAAAGGTCCACCACGTCAAGTGCCACGAG
TTCCTGTCACCTTCTTCCACAGCCACATTTTGCTCTGTCTGCCACGAGTTTGTCTGGGGCTGAAC
AAACAGGGCTACCAAGTCCGACAATGCAATGCAGCAATTCACAAGAAGTGTATTGATAAAGTTATAGCA
AAGTGACAGGATCAGCTATCAATAGCCGAGAAACCATGTTCCACAAGGAGAGATTCAAATTTGACATG
CCACACAGATTTAAAGTCTACAATTACAAGAGCCCGACCTTCTGTGAACACTGTGGGACCCTGCTGTGG
GGACTGGCAGGCAAGGACTCAAGTGTGATGCATGTGGCATGAATGTGCATCATAGATGCCAGACAAG
GTGGCCAACTTTGTGGCATAAACCCAGAAGCTAATGGCTGAAGCGCTGGCCATGATTGAGAGCACTCAA
CAGGCTCGCTGCTTAAGAGATACTGAACAGATCTTCAGAGAAGGTCCGGTTGAAATTTGGTCTCCCATGC
TCCATCAAAAATGAAGCAAGGCCGCATGTTTACCAGACCCGGGAAAAAGAGAGCCTCAGGGCATTTC
TGGGAGTCTCCGTTGGATGAGGTGGATAAAATGTGCCATCTTCCAGAACCTGAACTGAACAAAGAAAAGA
CCATCTCTGCAGATTAACCTAAAAATGAGGATTTTATCTTGCACAAAATGTTGGGGAAGGAAGTTTT
GGCAAGGTCTTCTGGCAGAATTAAGAAAACCAATCAATTTTCGCAATAAAGGCCTTAAAGAAAGAT
GTGGTCTTGATGGACGATGATGTTGAGTGCACGATGGTAGAGAAGAGAGTTCTTTCTTGGCCTGGGAG
CATCCGTTTCTGACGCACATGTTTTGTACATCCAGACCAAGGAAAACCTTTTTTTGTGATGGAGTAC
CTCAACGGAGGGACTTAATGTACCACATCCAAAAGCTGCCACAAGTTTCGACCTTTCCAGAGCGACGTTT
TATGCTGCTGAAATCATTCTTGGTCTGCAGTTCCTTCATTCCAAAAGGAATAGTCTACAGGACCTGAAG
CTAGATAACATCCTGTTAGACAAAGATGGACATATCAAGATCGCGGATTTTGAATGTGCAAGGAGAAC
ATGTTAGGAGATGCCAAGACGAATACCTTCTGTGGGACACCTGACTACATCGCCCAGAGCTCTTCGTG
CGAGAACCTGAGAAGAGGCTGGGCGTGAGGGGAGACATCCGCCAGCACCTTTGTTTCGGGAGATCAAC
TGGGAGGAACTTGAACGGAAGGAGATTGACCCACCGTTCGGCCGAAAGTGAATCACCATTTGACTGC
AGCAATTTGCACAAAGAATTCTTAAACGAGAAGCCCGGCTGTCATTTGCCGACAGAGCACTGATCAAC
AGCATGGACCAGAATATGTTTCAGGAACCTTTCTTCATGAACCCGGGATGGAGCGGCTGATATCCTGA
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_001242413

Insert Size: 1932 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001242413.2
RefSeq Size:	3106 bp
RefSeq ORF:	1932 bp
Locus ID:	5588
UniProt ID:	Q04759
Cytogenetics:	10p15.1
Protein Families:	Druggable Genome, Protein Kinase, Transcription Factors
Protein Pathways:	Adipocytokine signaling pathway, T cell receptor signaling pathway, Tight junction, Vascular smooth muscle contraction
MW:	74.3 kDa
Gene Summary:	<p>Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members. It is a calcium-independent and phospholipid-dependent protein kinase. This kinase is important for T-cell activation. It is required for the activation of the transcription factors NF-kappaB and AP-1, and may link the T cell receptor (TCR) signaling complex to the activation of the transcription factors. [provided by RefSeq, Jul 2008]</p> <p>Transcript Variant: This variant (2) lacks an in-frame exon in the 3' coding region, compared to variant 1. This results in a shorter protein (isoform 2), compared to isoform 1.</p>