

Product datasheet for SC332054

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

MAPKAP Kinase 3 (MAPKAPK3) (NM 001243926) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: MAPKAP Kinase 3 (MAPKAPK3) (NM_001243926) Human Untagged Clone

Tag: Tag Free

MAPKAP Kinase 3 Symbol:

Synonyms: 3PK; MAPKAP-K3; MAPKAP3; MAPKAPK-3; MDPT3; MK-3; MK3

Vector: pCMV6-Entry (PS100001)

>SC332054 representing NM_001243926. **Fully Sequenced ORF:**

Blue=Insert sequence Red=Cloning site Green=Tag(s)

ATGGATGGTGAAACAGCAGAGGAGCAGGGGGGCCCTGTGCCCCCGCCAGTTGCACCCGGCGGACCCGGC TTGGGCGGTGCTCCGGGGGGGCGGGGAGCCCAAGAAGTACGCAGTGACCGACGACTACCAGTTGTCC AAGCAGGTGCTGGGCCTGGGTGTGAACGGCAAAGTGCTGGAGTGCTTCCATCGGCGCACTGGACAGAAG TGTGCCCTGAAGCTCCTGTATGACAGCCCCAAGGCCCGGCAGGAGGTAGACCATCACTGGCAGGCTTCT GGCGGCCCCATATTGTCTGCATCCTGGATGTGTATGAGAACATGCACCATGGCAAGCGCTGTCTCCTC ATCATCATGGAATGCATGGAAGGTGGTGAGTTGTTCAGCAGGATTCAGGAGCGTGGCGACCAGGCTTTC ACTGAGAGAGCTGCAGAGATAATGCGGGATATTGGCACTGCCATCCAGTTTCTGCACAGCCATAAC ATTGCCCACCGAGATGTCAAGCCTGAAAACCTACTCTACACATCTAAGGAGAAAGACGCAGTGCTTAAG CTCACCGATTTTGGCTTTGCTAAGGAGACCACCCAAAATGCCCTGCAGACACCCTGCTATACTCCCTAT TATGTGGCCCCTGAGGTCCTGGGTCCAGAGAGTATGACAAGTCATGTGACATGTGGTCCCTGGGTGTC ATCATGTACATCCTCCTTTGTGGCTTCCCACCCTTCTACTCCAACACGGGCCAGGCCATCTCCCCGGGG ATGAAGAGGAGGATTCGCCTGGGCCAGTACGGCTTCCCCAATCCTGAGTGGTCAGAAGTCTCTGAGGAT GCCAAGCAGCTGATCCGCCTCCTGTTGAAGACAGACCCCACAGAGAGGCTGACCATCACTCAGTTCATG AACCACCCTGGATCAACCAATCGATGGTAGTGCCACAGACCCCACTCCACACGGCCCGAGTGCTGCAG GAGGACAAAGACCACTGGGACGAAGTCAAGGAGGAGATGACCAGTGCCTTTGGCCACTATGCGGGTAGAC TACGACCAGGTGAAGATCAAGGACCTGAAGACCTCTAACAACCGGCTCCTCAACAAGAGAGAAAAAAAG

CAGGCAGGCAGCTCCTCTGCCTCACAGGGCTGCAACAACCAGTAG

Restriction Sites: Sgfl-Mlul

ACCN: NM 001243926

Insert Size: 1149 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

> point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 001243926.1 RefSeq:

RefSeg Size: 3047 bp RefSeq ORF: 1149 bp Locus ID: 7867 **UniProt ID:** Q16644 Cytogenetics: 3p21.2

Protein Families: Druggable Genome, Protein Kinase

Protein Pathways: MAPK signaling pathway, VEGF signaling pathway

MW: 43 kDa

Gene Summary: This gene encodes a member of the Ser/Thr protein kinase family. This kinase functions as a

mitogen-activated protein kinase (MAP kinase)- activated protein kinase. MAP kinases are also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This kinase was shown to be activated by growth inducers and stress stimulation of cells. In vitro studies demonstrated that ERK, p38 MAP kinase and Jun Nterminal kinase were all able to phosphorylate and activate this kinase, which suggested the role of this kinase as an integrative element of signaling in both mitogen and stress responses. This kinase was reported to interact with, phosphorylate and repress the activity

of E47, which is a basic helix-loop-helix transcription factor known to be involved in the regulation of tissue-specific gene expression and cell differentiation. Alternate splicing results in multiple transcript variants that encode the same protein. [provided by RefSeq, Sep 2011] Transcript Variant: This variant (1) represents the longest transcript. Variants 1, 2 and 3 encode the same protein. Sequence Note: This RefSeq record was created from transcript and

genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.