

Product datasheet for **SC332186**

NSP3 (SH2D3C) (NM_001252334) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NSP3 (SH2D3C) (NM_001252334) Human Untagged Clone
Tag:	Tag Free
Symbol:	NSP3
Synonyms:	CHAT; NSP3; PRO34088; SHEP1
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC332186 representing NM_001252334.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGCCCTGCTCTGCCTTCTCCTCACAAAGGCTGTCGCCCCTCTGAGCTCTGCTGGACTGCAGCC
CACTCAGGAAAAGTGGGGCTCCAGACGGTGGAGAGGGAGCAGAATGTGCTGGGCACAATGGTGGCCCA
TCTTGGGAGTGGGGCAGGGCCAAAGCCAAGACCTTCCCGCAGGGAATCCCACAGGCCCATGGCTG
GTGCTCTGGCAGAGACGGGGCTTCCACCCAGCTCTTTTTGCCAGGGCCTTTAAGGACTGAGAAGCTC
AGAGCAGGCAGGTGCCCGTTGCTTCTCTGCGGTGGGGCTGCTGGAGAGCCAGAGGCTGGCAGCGACTAT
GTGAAGTTCTCCAAGGAGAAGTACATCCTGGACTCATCGCCAGAGAAAATCCACAAGGAATTGGAGGAG
GAGCTCAAACCTCAGCAGCACGGATCTCCGAGCCATGCCTGGTACCATGGCCGCATCCCCGAGAGGTC
TCGGAGACCTTGGTACAACGCAACGGGACTTCTCATCCGGGACTCACTACCAGCCTGGGCGACTAT
GTGCTCACGTGCCGCTGGCGCAACCAGGCTTGCACCTCAAGATCAACAAGGTGGTGGTGAAGGCAGGC
GAGAGTACACACACATCCAGTACCTGTTGAGCAGGAGAGCTTTGACCACGTGCCCGCCCTCGTGCCG
TATCATGTGGGCAGCCGAAGGCTGTGTCAGAGCAGAGTGGTCCATCATCTACTGCCCGGTGAACCCG
ACCTTCCCACTGCGCTACCTCGAGGCCAGCTATGGCCTGGGACAGGGAGTAGCAAGCCTGCTAGCCCC
GTCAGCCCTCAGGCCCAAGGGCAGCCACATGAAGCGGCGCAGCGTCACCATGACCGATGGGCTCACT
GCTGACAAGGTCACCCGAGCGATGGCTGCCCCACCAGTACGTGCTGCCCGCCCTCGGGACTCCATC
CGCAGCTGTGCCCTCAGCATGGACCAGATCCCAGACCTGCACTACCCATGTGCCCCATCTCCGAGAGC
CCTAGCTCCCCTGCCTACAGCACTGTAACCCGTGTCCATGCCGCCCTGCAGCCCTTCTGCCACAGCA
TTGCCTGCCTCCCCTGTGCCCCGCCGTTCCAGTGAAGCCAGCTGTGTCCCGGAAGTGCCCCAAAGACC
CATGGGGAGTCAGACAAGGGCCCCACACCAGCCCTCCCACACCCTTGGCAAGGCCTCCCCGTACCA
TCACTCAGCAGCTACAGTGACCCGGACTCTGGCCACTACTGCCAGCTCCAGCCTCCCGTGGTGGCAGC
CGAGAGTGGGCAGCGACTGAGACCTCCAGCCAGCAGGCCAGGAGCTATGGGGAGAGGCTAAAGGAACTG
TCAGAAAATGGGGCCCTGAAGGGGACTGGGGCAAGACCTTACAGTCCCATCGTGAAGTCACTTCT
TCCTTCAACCCGGCCACCTTCCAGTCACTACTGATCCCCAGGGATAACCGGCCACTGGAGGTGGGCCTT
CTGCGCAAGGTCAAGGAGCTGCTGGCAGAAGTGGATGCCCGGACGCTGGCCCGCATGTACCAAGGTG
GACTGCCTGGTTGCTAGGATACTGGGCGTTACCAAGGAGATGCAGACCCTAATGGGAGTCCGCTGGGGC
ATGGAAGTGTACCCCTCCCCATGGCCGGCAGCTACGCCTAGACCTGCTGGAAGGTTCCACACCATG
TCCATCATGTGGCCGTGGACATCCTGGGCTGCACCGGCTCTGCGGAGGAGCGGGCAGCGCTGCTGCAC
AAGACCATTGAGTGGCGCCGAGCTGCGGGGACTATGGCAACATGTTGAGCTTCCGCGCGGTGATG
GGTGCCCTGGACATGGCCAGATTTCTCGGCTGGAGCAGACATGGGTGACCCTGCGGCAGCGACACACA
GAGGGTGCATCCTGTACGAGAAGAAGCTCAAGCCTTTTCTCAAGAGCCTCAACGAGGGCAAGAAGGC
CCGCCGCTGAGCAACACCACGTTTCTCATGTGCTGCCCTCATCACCTGCTGGAGTGTGACTCGGCC
CCACCAGAGGGCCCTGAGCCCTGGGGCAGCAGGAGCAGCGGCTGGAGGTGGTGTGCTCAGCTGGAG
GCCGCCGCACAGTGGCACACCAGGAGGCTGTACCACCAATGCTGAAGTCAAGTGCAGGGGTTTC
CAGGCCCGGCCGAGCTCCTGGAGGTGTTGAGCAGGAGTCCAGATGCGCCTTCTCTGGGGCAGTCAG
GGTGCCAGCAGCAGCCAGGCCCGGCGCTATGAGAAGTTCGACAAGGTCTCACTGCCCTGTCCCACAAG
CTGGAACCTGCTGCTCCGCTCCAGCGAGCTGTA
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_001252334

Insert Size: 2379 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001252334.1](#)

RefSeq Size: 3063 bp

RefSeq ORF: 2379 bp

Locus ID: 10044

UniProt ID: [Q8N5H7](#)

Cytogenetics: 9q34.11

Protein Families: Druggable Genome

MW: 86.4 kDa

Gene Summary: This gene encodes an adaptor protein and member of a cytoplasmic protein family involved in cell migration. The encoded protein contains a putative Src homology 2 (SH2) domain and guanine nucleotide exchange factor-like domain which allows this signaling protein to form a complex with scaffolding protein Crk-associated substrate. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2011]
Transcript Variant: This variant (7) differs in the 5' UTR and 5' coding region and initiates translation from an alternate start codon, compared to variant 1. The encoded isoform (f) has a distinct N-terminus and is shorter than isoform a.