

Product datasheet for **SC332318**

ATP1A3 (NM_001256214) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	ATP1A3 (NM_001256214) Human Untagged Clone
Tag:	Tag Free
Symbol:	ATP1A3
Synonyms:	AHC2; ATP1A1; CAPOS; DYT12; RDP
Vector:	pCMV6-Entry (PS100001)




[View online »](#)

Fully Sequenced ORF: >SC332318 representing NM_001256214.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGGGTCTGGTGGCTCTGACAGCTATCGTATCGCCACCTCGCAGGACAAGAAAGATGACAAGGACTCA
CCCAAGAAGAACAAGGGCAAGGAGCGCCGGGACCTGGATGACCTCAAGAAGGAGGTGGCTATGACAGAG
CACAAGATGTCAGTGAAGAGGTCTGCCGAAAATAACAACAGACTGTGTGCAGGGTTTGACCCACAGC
AAAGCCCAGGAGATCCTGGCCCCGGGATGGGCCTAACGCACCTACGCCACCGCCTACCACCCAGAGTGG
GTCAAGTTTTGCGGCAGCTCTTCGGGGGCTTCCATCCTGCTGTGGATCGGGGCTATCCTCTGCCTTC
CTGGCCTACGGTATCCAGGCGGGCACCGAGGACGACCCCTCTGGTGACAACCTGTACCTGGGCATCGTG
CTGGCGGCGTGGTGATCACTGCGTCTTCTCCTACTACCAGGAGGCCAAGAGCTCCAAGATCATG
GAGTCTTCAAGAACATGGTGCCCCAGCAAGCCCTGGTATCCGGGAAGGTGAGAAGATGCAGGTGAAC
GCTGAGGAGTGGTGGTGGGGACCTGGTGGAGATCAAGGGTGGAGACCGAGTGCACGCTGACCTGCGG
ATCATCTCAGCCACGGTCAAGGTGGACAACCTCCTCCTGACTGGCGAATCCGAGCCCAGACTCGC
TCTCCGACTGCACTCAGACAACCCCTTGGAGACTCGGAACATCACCTCTTTCCACCAACTGTGTG
GAAGGCACGGCTCGGGGCTGGTGGTGGCCACGGGCGACCGCAGTGTATGGGCCGTATCGCCACCCCTG
GCATCAGGGCTGGAGGTGGGCAAGACGCCCATCGCCATCGAGATTGAGCACTTATCCAGCTCATACC
GGCGTGGCTGTCTTCTGGGTGTCTCCTTCTTATCCTCTCCCTCATTCTCGGATACACCTGGCTTGAG
GCTGTATCTTCTCATCGGCATCATCGTGGCCAATGTCCAGAGGGTCTGCTGGCCACTGCACTGTG
TGTCTGACGCTGACCGCAAGCGCATGGCCCGAAGAAGTGCCTGGTGAAGAACCTGGAGGCTGTAGAA
ACCCTGGGCTCCACGTCCACCATCTGCTCAGATAAGACAGGGACCTCACTCAGAACCAGCATGACAGTC
GCCACATGTGGTTTGACAACAGATCCACGAGGCTGACACCACTGAGGACCACTCAGGGACCTCATT
GACAAGAGTTCGCACACCTGGGTGGCCCTGTCTCACATCGCTGGGCTCTGCAATCGCGCTGTCTTCAAG
GGTGGTCAGGACAACATCCCTGTGCTCAAGAGGGATGTGGTGGGGATGCGTCTGAGTCTGCCCTGCTC
AAGTGATCGAGCTGTCTTCTGGCTCCGTGAAGCTGATGCGTGAACGCAACAAGAAAGTGGCTGAGATT
CCCTTCAATTCCACCAACAAATACCAGCTCTCCATCCATGAGACCGAGGACCCCAACGACAACCGATAC
CTGCTGGTGTGAAGGGTCCCCCGAGCGCATCCTGGACCGTGTCCACCATCTGCTACAGGGCAAG
GAGCAGCCTCTGGACGAGGAAAATGAAGGAGGCCTTCCAGAATGCCTACCTTGAGCTCGGTGGCCTGGGC
GAGCGCTGTGGTTTCTGCCATTATTACCTGCCCGAGGAGCAGTTCACCAAGGGCTTTGCCTTCGAC
TGTGATGACGTGAACTTACCACGGACAACCTCTGCTTTGTGGCCTCATGTCCATGATCGACCCACCC
CGGCAGCCGCTCCCTGACGCGTGGCAAGTGTGCAGCGCAGGCATCAAGGTATCATGGTCAACGGC
GATCACCCATCACGGCAAGGCCATTGCCAAGGGTGTGGGCATCATCTGAGGGCAACGAGACTGTG
GAGGACATCGCCGCCGCTCAACATCCCGTCAAGCAGGTTAACCCCGGGATGCCAAGGCCTGCGGTG
ATCCACGGCACCGACCTCAAGGACTTCACTCCGAGCAAATCGACGAGATCCTGCAGAATCACACCGAG
ATCGTCTTCCGCCGACATCCCCCAGCAGAAGCTCATATTGTGGAGGGCTGTGAGAGACAGGGTGCA
ATTGTGGCTGTGACCGGGGATGGTGTGAACGACTCCCCGCTCTGAAGAAGGCCGACATTGGGGTGGCC
ATGGGCATCGTGGCTCTGACGCTCCAAGCAGGACGCTGACATGATCCTGCTGGACGACAACCTTTGCC
TCCATCGTCACAGGGGTGAGGAGGGCCGCTGATCTTCGACAACCTAAGAAGTCCATTGCCTACACC
GTGACCAATCACCATCCTCTGCATCGATCTGGGCACTGACATGGTCCCTGCCATCTCACTGGCGTACGAG
GCTGCCGAAAGCGACATCATGAAGAGACAGCCAGGAACCCGCGGACGGACAAATTGGTCAATGAGAGA
CTCATCAGCATGGCCTACGGGCAGATTGAATGATCCAGGCTCTCGGTGGCTTCTTCTTACTTTGTG
ATCCTGGCAGAAAATGGCTTCTTCCCGCAACCTGGTGGGCATCCGGCTGAACTGGGATGACCGCACC
GTCAATGACCTGGAAGACAGTTACGGGCAGCAGTGGACATACGAGCAGAGGAAGGTGGTGGAGTTCACC
TGCCACACGGCCTTCTTTGTGAGCATCGTTGTCTGTCAGTGGGCCGATCTGATCATCTGCAAGACCCGG
AGGAACTCGTCTTCCAGCAGGGCATGAAGAACAAGATCCTGATCTTCGGGCTGTTTGGAGAGACGGCC
CTGGCTGCCTTCTGCTCTACTGCCCGCATGGACGTGGCCCTGCGCATGTACCCTCTCAAGCCAGC
TGGTGGTTCTGTGCTTCCCTACAGTTTCTCATCTTCTGCTACGACGAAATCCGCAAACTCATCTG
CGCAGGAACCCAGGGGTTGGGTGGAGAAGGAACTACTACTGA
  
```

Restriction Sites: SgfI-MluI

Plasmid Map:


ACCN: NM_001256214

Insert Size: 3081 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001256214.1](#)

RefSeq Size: 3674 bp

RefSeq ORF: 3081 bp

Locus ID: 478

UniProt ID: [P13637](#)

Cytogenetics: 19q13.2

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Cardiac muscle contraction

MW: 113.1 kDa

Gene Summary: The protein encoded by this gene belongs to the family of P-type cation transport ATPases, and to the subfamily of Na⁺/K⁺ -ATPases. Na⁺/K⁺ -ATPase is an integral membrane protein responsible for establishing and maintaining the electrochemical gradients of Na and K ions across the plasma membrane. These gradients are essential for osmoregulation, for sodium-coupled transport of a variety of organic and inorganic molecules, and for electrical excitability of nerve and muscle. This enzyme is composed of two subunits, a large catalytic subunit (alpha) and a smaller glycoprotein subunit (beta). The catalytic subunit of Na⁺/K⁺ -ATPase is encoded by multiple genes. This gene encodes an alpha 3 subunit. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012]

Transcript Variant: This variant (3) has an additional in-frame segment in the 5' coding region, compared to variant 1. The resulting isoform (3) is longer than isoform 1.