

## Product datasheet for **SC332353**

### CACNA1G (NM\_001256330) Human Untagged Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** CACNA1G (NM\_001256330) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** CACNA1G  
**Synonyms:** Ca(V)T.1; Cav3.1; NBR13; SCA42; SCA42ND  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC332353 representing NM\_001256330.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGACGAGGAGGAGGATGGAGCGGGCGCCGAGGAGTCGGGACAGCCCCGGAGCTTCATGCGGCTCAAC
GACCTGTCGGGGGCCGGGGCGCCGGGGCGGGGTGTCAGCAGAAAAGGACCCGGGCAGCGCGGACTCC
GAGGCGGAGGGGCTGCCGTACCCGGCGCTGGCCCCGGTGGTTTTCTTCTACTTGAGCCAGGACAGCCGC
CCGCGGAGCTGGTGTCTCCGCACGGTCTGTAACCCCTGGTTTGAGCGCATCAGCATGTTGGTCATCCTT
CTCAACTGCGTGACCCTGGGCATGTTCCGGCCATGCGAGGACATCGCCTGTGACTCCCAGCGCTGCCGG
ATCCTGCAGGCCCTTTGATGACTTCATCTTTGCCTTCTTTGCCGTGGAGATGGTGGTGAAGATGGTGGCC
TTGGGCATCTTTGGGAAAAGTGTACCTGGGAGACACTTGGAACCGGCTTGACTTTTTTCATCGTATC
GCAGGGATGCTGGAGTACTCGCTGGACCTGCAGAACGTACAGTTCTCAGCTGTCAGGACAGTCCCGTGTG
CTGCGACCCGCTCAGGGCCATTAACCGGGTGCACAGCATGCGCATCCTTGTACGTTGCTGCTGGATACG
CTGCCCATGCTGGGCAACGTCTGCTGCTGCTTCTTCTGCTTCTTCTCATCTTCGGCATCGTCGGCGTC
CAGCTGTGGGCAGGGCTGCTTCGGAACCGATGCTTCTACCTGAGAAATTCAGCCTCCCCCTGAGCGTG
GACCTGGAGCGCTATTACCAGACAGAGAACGAGGATGAGAGCCCCCTTCACTGCTCCCAGCCACGCGAG
AACGGCATGCGGTCTGCAGAAGCGTGCCACGCTGCGCGGGGACGGGGCGGTGGCCACCTTGCGGT
CTGGACTATGAGGCCTACAACAGCTCCAGCAACACCACCTGTGTCACACTGGAACCACTACTACACCAAC
TGCTCAGCGGGGAGCACAAACCCCTTCAAGGGCGCCATCAACTTTGACAACATTGGCTATGCCTGGATC
GCCATCTTCCAGGTCATCAGCTGGAGGCTGGGTGACATCATGTACTTTGTGATGGATGCTCATTCC
TTCTACAATTTCTACTTCTCCTCCTCATCATCGTGGGCTCCTTCTTCTCATGATCAACCTGTGCCTG
GTGGTATTGCCACGCAGTTCTCAGAGACCAAGCAGCGGGAAAGCCAGCTGATGCGGGAGCAGCGTGTG
CGGTTCTGTCCAACGCCAGCACCCTGGTAGCTTCTCTGAGCCCGCAGCTGCTATGAGGAGCTGCTC
AAGTACCTGGTGTACATCCTTCGTAAGGCAGCCCGCAGGCTGGCTCAGGTCTCTCGGGCAGCAGGTGTG
CGGTTGGGCTGCTCAGCAGCCAGCACCCTCGGGGGCCAGGAGACCCAGCCAGCAGCAGCTGCTCT
CGTCCCACCGCCGCTATCCGTCCACCACCTGGTGCACCACCACCACCACCATACCACCCTACCAC
CTGGGCAATGGGACGCTCAGGGCCCCCGGGCCAGCCCGGAGATCCAGGACAGGGATGCCAATGGGTCC
CGCCGGCTCATGCTGCCACCACCCTCGACGCTGCCCTCTCCGGGGCCCCCCTGGTGGCGCAGAGTCT
GTGCACAGCTTCTACCATGCCGACTGCCACTTAGAGCCAGTCCGCTGCCAGGCGCCCCCTCCAGGTCC
CCATCTGAGGCATCCGGCAGGACTGTGGGCAGCGGAAGGTGTATCCACCGTGCACACCAGCCCTCCA
CCGGAGACGCTGAAGGAGAAGGCACTAGTAGAGGTGGCTGCCAGCTCTGGGCCCCCAACCCCTACCAGC
CTCAACATCCCACCCGGGCCCTACAGCTCCATGCACAAGCTGTGGAGACACAGAGTACAGGTGCCTGC
  
```



[View online >](#)

CAAAGCTCTTGAAGATCTCCAGCCCTTCTTGAAGCAGACAGTGGAGCCTGTGGTCCAGACAGCTGC  
 CCCTACTGTGCCCGGGCCGGGGCAGGGGAGGTGGAGCTCGCCGACCGTGAATGCCTGACTCAGACAGC  
 GAGGCAGTTTATGAGTTCACACAGGATGCCAGCACAGCGACCTCCGGGACCCCCACAGCCGGGGCAA  
 CGGAGCCTGGGCCAGATGCAGAGCCAGCTCTGTGCTGGCCTTCTGGAGGCTAATCTGTGACACCTTC  
 CGAAAGATTGTGGACAGCAAGTACTTTGGCCGGGAATCATGATCGCCATCCTGGTCAACACACTCAGC  
 ATGGGCATCGAATACCACGAGCAGCCGAGGAGCTTACCAACGCCCTAGAAATCAGCAACATCGTCTTC  
 ACCAGCCTCTTGGCCCTGGAGATGCTGCTGAAGCTGCTTGTGTATGGTCCCTTTGGCTACATCAAGAA  
 CCTTACAACATCTTCGATGGTGTATTGTGGTTCATCAGCGTGTGGGAGATCGTGGCCAGCAGGGGGC  
 GGCTGTGCGTGTGCGGACCTCCGCCTGATGCGTGTGCTGAAGCTGGTGCCTTCTGCCGGCGCTG  
 CAGCGGCAGTGGTGGTCTCATGAAGACCATGGACAACGTGGCCACCTTCTGCATGCTGTTATGCTC  
 TTCATCTTCATCTCAGCATCCTGGCATGCATCTTTCGGTGCAGTTTGCCTCTGAGCGGGATGGG  
 GACACCCTGCCAGACCGAAGAATTTTACTCCTTGTCTGGCCATCGTCACTGTCTTTCAGATCTG  
 ACCCAGGAGGACTGGAACAAAGTCTCTACAATGGTATGGCTCCACGTCGTCTGGCGGCCCTTAT  
 TTCATTGCCCTCATGACCTTCGGCAACTACGTGCTTCAATTTGCTGGTCGCCATTCTGGTGGAGGGC  
 TTCAGGCGGAGGAAATCAGCAACGGGAAGATGCGAGTGGACAGTTAAGCTGTATTGAGCTGCCTGTC  
 GACTCCCAGGGGGAGATGCCAACAAAGTCCGAATCAGAGCCGATTTCTTCTCACCCAGCCTGGATGGT  
 GATGGGGACAGGAAGAAGTGTGGCCTTGGTGTCCCTGGGAGAGCACCCGGAGCTGCGGAAGAGCCTG  
 CTGCCGCCTCTCATCATCCACACGGCCGCCACACCCATGTGCTGCCAAGAGCACACGACGGGCTG  
 GCGAGGGCGTGGGCCCTGCGTCGCGCCGACCAGCAGCAGCGGGTGGCAGAGCCTGGGGCGGCCAC  
 GAGATGAAGTACCGCCAGCGCCCGCAGCTCTCCGCACAGCCCTGGAGCGTGAAGCAGCTGGACC  
 AGCAGGGCCTCCAGCCGAACAGCCTCGGCCGTGACCCAGCCTGAAGCGGAGAAGCCAAAGTGGAGAG  
 CGGCGGTCCCTGTTGTGCGGAGAAGGCCAGGAGAGCCAGGATGAAGAGGAGAGCTCAGAAGAGAGCGG  
 GCCAGCCTGCGGGCAGTGACCATCGCCACAGGGGGTCCCTGGAGCGGGAGGCCAAGAGTCTTTGAC  
 CTGCCAGACACTGCAAGTGCAGGGCTGCATCGCACTGCCAGTGGCCGAGGGTCTGCTCTGAGCAC  
 CAGGACTGCAATGGCAAGTGGCTTTCAGGGCGCCTGGCCGGGCCCTGCGGCCTGATGACCCCCACTG  
 GATGGGGATGACGCCGATGACGAGGGCAACCTGAGCAAAGGGGAACGGGTCCGCGCTGGATCCGAGCC  
 CGACTCCCTGCCTGCTGCTCGAGCGAGACTCCTGGTCAGCCTACATCTTCCCTCCTCAGTCCAGGTTT  
 CGCCTCCTGTGTACCGGATCATCACCCACAAGATGTTGACCACGTGGTCTTGTATCATCTTCTT  
 AACTGCATCACCATCGCCATGGAGCGCCCCAAAATGACCCACAGCGCTGAACGCATCTTCTGACC  
 CTCTCAAATTACATCTTACCGCAGTCTTCTGGCTGAAATGACAGTGAAGGTGGTGGCACTGGGCTGG  
 TGCTTCGGGGAGCAGGCGTACCTGCGGAGCAGTTGGAACGTGCTGGACGGGCTGTTGGTGTCTATCTC  
 GCATCGACATCTGGTGTCCATGGTCTCTGACAGCGGCCAACAGATCCTGGGCATGCTGAGGGTGTCTG  
 CGGCTGTGCGGACCCTGCGCCCGCTCAGGGTGTATCAGCCGGGGCAGGGGCTGAAGCTGGTGGTGGAG  
 ACGCTGATGTCCTCACTGAAACCCATCGGCAACATTGTAGTATCTGCTGTGCCTTCTTATCATTTTC  
 GGCATCTTGGGGTGCAGCTCTTCAAAGGGAAGTTTTTCGTGTGCCAGGGCGAGGATACCAGGAACATC  
 ACCAATAAATCGGACTGTGCCGAGGCCAGTTACCGGTGGTCCGGCACAAGTACAACCTTTGACAACCTT  
 GGCCAGGCCCTGATGTCCCTGTTGTTTTGGCCTCCAAGGATGGTTGGTGGACATCATGTACGATGGG  
 CTGGATGCTGTGGCGTGGACCAGCAGAACTTCCACAAGTGTGCGCAGCACCAGGAGGAAGAGGAGGCC  
 CGGCGGGGAGGAGAAGCGCCTACGAAGACTGGAGAAAAGAGAAGGAGTAAGGAGAAGCAGATGGCT  
 GAAGCCAGTGCAAACCTTACTACTCCGACTACTCCCGCTTCCGGCTCCTCGTCCACCACTTGTGCACC  
 AGCCACTACCTGGACCTTTCATCACAGGTGTATCGGGCTGAACGTGGTCAACATGGCCATGGAGCAC  
 TACCAGCAGCCCCAGATTCTGGATGAGGCTCTGAAGATCTGCAACTACATCTTCACTGTATCTTTGTC  
 TTGGAGTCAGTTTTCAAACCTTGTGGCCTTTGGTTCCGTCGGTCTTCCAGGACAGGTGGAACAGCTG  
 GACCTGGCCATTGTGCTGCTGTCCATCATGGGCATCACGCTGGAGGAAATCGAGGTCAACGCCTCGCTG  
 CCCATCAACCCACCATCATCCGCATCATGAGGGTGTGCGCATTGCCCGAGTGTGAAGCTGCTGAAG  
 ATGGCTGTGGCATGCGGGCGCTGCTGGACACGGTGTGACAGCCCTGCCCGAGTGGGAACTGGGA  
 CTTCTCTTATGTTGTTGTTTTTATCTTTCAGCTCTGGCGTGGAGCTTTTGGAGACCTGGAGTGT  
 GACGAGACACACCCTGTGAGGGCTGGGCCGTATGCCACCTTTCGGAACCTTTGGCATGGCCTTCCTA  
 ACCCTTTCAGTCTCCACAGGTGACAATTGGAATGGCATTATGAAGGACACCTCCGGGACTGTGAC  
 CAGGAGTCCACCTGCTACAACACGGTCACTCGCCTATCTACTTTGTGCTTCTGCTGACGGCCAG  
 TTCGTGTAGTCAACGTGGTGTATCGCCGTGCTGATGAAGCACCTGGAGGAGAGCAACAAGGAGGCCAAG  
 GAGGAGCCGAGCTAGAGGCTGAGCTGGAGCTGGAGATGAAGACCCTCAGCCCCAGCCCCACTCGCCA


```

CTGGGCAGCCCTTCTCTGGCCTGGGGTCGAGGGCCCCGACAGCCCCGACAGCCCAAGCCTGGGGCT
CTGACCCAGCGGCCACGCGAGATCAGCCTCCCACCTTTCCCTGGAGCACCCACGATGCAGCCCCAC
CCCACGGAGTGCCAGGACCAGACTTACTGACTGTGCGGAAGTCTGGGGTCAGCCGAACGCACTCTCTG
CCCAATGACAGCTACATGTGTGGCATGGGAGCACTGCCGAGGGGCCCTGGGACACAGGGGCTGGGGG
CTCCCCAAGCTCAGTCAGGCTCCGTCTTGTCCGTTCACTCCCAGCCAGCAGATACCAGCTACATCCTG
CAGCTTCCCAAAGATGCACCTCATCTGCTCCAGCCCCACAGCGCCCCAACCTGGGGCACCATCCCCAAA
CTGCCCCACAGGACGCTCCCCCTTGGCTCAGAGGCCACTCAGGCGCCAGGCAGCAATAAGGACTGAC
TCCTTGGACGTTCAAGGTCTGGGCAGCCGGAAGACCTGCTGGCAGAGGTGAGTGGGCCCTCCCGGCC
CTGGCCCGGGCCTACTCTTTCTGGGGCCAGTCAAGTACCCAGGCACAGCAGCACTCCCGCAGCCACAGC
AAGATCTCCAAGCACATGACCCCGCCAGCCCTTGCCAGGCCAGAACCCAACTGGGGCAAGGGCCCT
CCAGAGACCAGAAGCAGCTTAGAGTTGGACACGGAGCTGAGCTGGATTTCAAGGAGACCTCCTGCCCTT
GGCGGCCAGGAGGCCCCATCCCACGGGACCTGAAGAAGTGTACAGCGTGGAGGCCAGAGCTGC
CAGCGCCGGCCTACGTCCTGGCTGGATGAGCAGAGGAGACTCTATCGCCGTCACTGCCTGGACAGC
GGCTCCCAACCCACCTGGGCACAGACCCCTTAACCTTGGGGGCCAGCCTTTGGGGGGCTGGGAGC
CGCCCCAAGAAAAACTCAGCCCGCTAGTATCACCATAGACCCCCGAGAGCCAAGGTCTCGGACC
CGCCCCAGCCCTGGTATCTGCCTCCGGAGGAGGCTCCGTCCAGGCACTCAAGGATCCCTTGGCCTCT
GGCCCCCTGACAGCATGGCTGCCTCGCCCTCCCCAAGAAAGATGTGCTGAGTCTCTCCGGTTTATCC
TCTGACCCAGCAGACCTGGACCCCTGA
    
```

**Restriction Sites:**

Sgfl-MluI

**Plasmid Map:**



**ACCN:** NM\_001256330

**Insert Size:** 6720 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

|                               |   |
|-------------------------------|---|
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>   |
| <b>RefSeq:</b>                | <a href="#">NM_001256330.1</a>  |
| <b>RefSeq Size:</b>           | 7850 bp   |
| <b>RefSeq ORF:</b>            | 6720 bp   |
| <b>Locus ID:</b>              | 8913  |
| <b>UniProt ID:</b>            | <a href="#">O43497</a>  |
| <b>Cytogenetics:</b>          | 17q21.33  |
| <b>Protein Families:</b>      | Druggable Genome, Ion Channels: Calcium, Transmembrane  |
| <b>Protein Pathways:</b>      | Calcium signaling pathway, MAPK signaling pathway, Type II diabetes mellitus  |
| <b>MW:</b>                    | 247.8 kDa   |
| <b>Gene Summary:</b>          | <p>Voltage-sensitive calcium channels mediate the entry of calcium ions into excitable cells, and are also involved in a variety of calcium-dependent processes, including muscle contraction, hormone or neurotransmitter release, gene expression, cell motility, cell division, and cell death. This gene encodes a T-type, low-voltage activated calcium channel. The T-type channels generate currents that are both transient, owing to fast inactivation, and tiny, owing to small conductance. T-type channels are thought to be involved in pacemaker activity, low-threshold calcium spikes, neuronal oscillations and resonance, and rebound burst firing. Many alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Sep 2011]</p> <p>Transcript Variant: This variant (22) has multiple differences in the coding region but maintains the reading frame, compared to variant 1. The resulting isoform (22) is shorter than isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p> |