

Product datasheet for SC332402

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Cell adhesion molecule 2 (CADM2) (NM_001256502) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Cell adhesion molecule 2 (CADM2) (NM 001256502) Human Untagged Clone

Tag: Tag Free

Symbol: Cell adhesion molecule 2

Synonyms: IGSF4D; Necl-3; NECL3; SynCAM 2; synCAM2

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC332402 representing NM_001256502.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

AAAGAGTATTTCATTTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM_001256502

Insert Size: 984 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001256502.1</u>

 RefSeq Size:
 9127 bp

 RefSeq ORF:
 984 bp

 Locus ID:
 253559

 UniProt ID:
 Q8N3]6

 Cytogenetics:
 3p12.1

Protein Families: Druggable Genome, Transmembrane

MW: 35.4 kDa

Gene Summary: This gene encodes a member of the synaptic cell adhesion molecule 1 (SynCAM) family which

belongs to the immunoglobulin (Ig) superfamily. The encoded protein has three Ig-like domains and a cytosolic protein 4.1 binding site near the C-terminus. Proteins belonging to the protein 4.1 family crosslink spectrin and interact with other cytoskeletal proteins. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Feb 2012]

Transcript Variant: This variant (4) differs in the 5' UTR and coding region and uses a downstream start codon compared to variant 1. The resulting protein (isoform 4) is shorter and has a shorter N-terminus compared to isoform 1. Variants 4 and 5 encode the same protein. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.