

Product datasheet for **SC332520**

Cullin 3 (CUL3) (NM_001257198) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cullin 3 (CUL3) (NM_001257198) Human Untagged Clone
Tag:	Tag Free
Symbol:	Cullin 3
Synonyms:	CUL-3; NEDAUS; PHA2E
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC332520 representing NM_001257198.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGTTAAGAATTCACCTCTTTTCATTTAGTTTTAATTTGTCTCATGATGTAGTTCTCTCAGTAATCACA
GAACCTTCAAGATGTATGACCATGGATGAAAAATATGTAACAGCATTGGGACCTTCTGAAAAATGCA
ATTC AAGAAAATCCAGCGTAAGAATAACAGTGGTCTTAGTTTTGAGGAGCTCTATAGAAAATGCATATACA
ATGGTTTTGCATAAACATGGAGAAAAGCTCTACACTGGACTAAGAGAAGTTGTTACCGAACATCTCATA
AATAAGGTGCGAGAAGATGTAATAAATTCAATTGAATAACAACCTTCTTCAAACGCTAAATCAAGCTTGG
AATGATCATCAAACAGCTATGGTATGATTAGAGACATACTAATGTACATGGACCGTGTGTATGTACAA
CAAAAATATGTGGAGAACGTCTACAATTTGGGATTAATATTTTTTCGAGATCAAGTTGTACGTTATGGG
TGTATTAGGGATCATCTACGGCAAACCTCTATTGGATATGATTGCAAGAGAGCGGAAAGGAGAAGTCGTA
GACAGAGGCGCAATAAGAAATGCTTGCCAGATGTTAATGATTTTAGGCTCTGAAGGAAGATCAGTCTAT
GAAGAAGATTTTAGGCTCCTTTTTTGGAAATGTCTGCAGAAATTTTTTCAGATGGAAAGCCAGAAATTT
TTAGCAGAAAATAGTGCTTCAGTATATATAAAGAAAAGTAGAAGCTAGAATTAATGAAGAAATAGAACGA
GTGATGCACTGCCTTGACAAATCAACGGAAGAACCAATTGTAAAGGTGGTTGAAAGGGAACCTATTCC
AAGCACATGAAGACTATAGTAGAAAATGGAGAATTCTGGGCTAGTACATATGTTGAAAAATGGAAAGACA
GAAGACCTTGGTTGCATGTACAAGTTATTTAGTCGTGTGCCAAATGGTTTGAAAACAATGTGTGAGTGT
ATGAGTTCCTATTTGAGGGAGCAAGGTAAGCTCTTGTCTGGAAGAAGGAGAAGGAAAGAATCCTGTT
GACTATATCCAGGGCTTATTGGATCTGAAGAGTAGGTTTCGATCGCTTCTCCTGGAATCATTCAACAAT
GACCGTCTCTTTAAACAAACTATTGCGGGTGACTTTGAGTATTTTCTCAACCTCAACTCCAGGTCTCCT
GAATACCTCTCATTATTTATTGATGATAAGCTGAAAAAGGGAGTCAAAGGGCTAACAGAACAGAAGTA
GAAACAATATTGGATAAAGCAATGGTCTTTTTTAGGTTTTATGCAAGAAAAAGATGATTTTGAACGTTAT
TATAAACAAACACTTGGCAAGGAGACTTCTCACAATAAAAAGTGTCTGATGACTCTGAAAAAACATG
ATATCTAAGTTAAAGACTGAATGTGGATGTCAGTTCACGTCAAACCTGGAAGGAATGTTTAGGGATATG
AGCATCTCAAACACAACGATGGATGAATTCAGGCAACATCTACAGGCAACTGGTGTATCTTTAGGTGGT
GTTGATCTTACAGTCCGGGTGCTCACGACAGGATATTGGCCCACTCAGTCAGCCACACCAAAAGTGAAC
ATCCCACCAGCACCAAGACATGCTTTTGGATATTCAGAAGGTTCTACTTAGCCAAACACAGTGGTCGA
CAGCTCACACTCCAGCATCATATGGGTTCTGCAGATCTCAATGCCACATTTTATGGACCAGTTAAAAAG
GAAGATGGATCTGAAGTTGGTGTGGAGGTGCACAAGTAACTGGCTCTAATACACGGAAGCACATATTG
CAAGTTTCCACTTCCAGATGACCATATTAATGCTCTTTAATAATAGAGAAAAATACACATTTGAGGAA
ATTCAGCAAGAGACAGATATCCCTGAAAGAGAGCTTGTAGAGCCCTACAGTCCCTCGCCTGTGGTAAA
CCAACACAGCGGGTTCTTACAAAAGAACCACAAATCAAAGGAAATAGAAAATGGTCATATATTTACAGTT
AATGATCAATTCACATCCAAACTACACAGAGTCAAGATTCAAACAGTTGCTGCCAAAACAAGTGAATCC
GACCCAGAGAGGAAAGAAAACAAGGCAGAAAAGTAGACGACGACAGAAAACATGAGATAGAAGCTGCTATA
GTGCGGATAATGAAATCTAGAAAGAAGATGCAGCACAATGTTCTAGTAGCGGAGGTAACCTCAGCAGTTG
AAGGCGGATTCTTACCAAGTCCAGTTGTTATTAAGAAACGATTGAAGGACTTATTGAGAGAGAATAT
TTGGCACGAACACCTGAGGATCGCAAAGTATACACATATGTAGCATAA
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_001257198

Insert Size: 2325 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001257198.1](#)

RefSeq Size: 6473 bp

RefSeq ORF: 2325 bp

Locus ID: 8452

UniProt ID: [Q13618](#)

Cytogenetics: 2q36.2

Protein Families: Druggable Genome

Protein Pathways: Ubiquitin mediated proteolysis

MW: 89.7 kDa

Gene Summary: This gene encodes a member of the cullin protein family. The encoded protein plays a critical role in the polyubiquitination and subsequent degradation of specific protein substrates as the core component and scaffold protein of an E3 ubiquitin ligase complex. Complexes including the encoded protein may also play a role in late endosome maturation. Mutations in this gene are a cause of type 2E pseudohypoaldosteronism. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]

Transcript Variant: This variant (3) differs in the 5' UTR, lacks a portion of the 5' coding region and initiates translation at an alternate start codon, compared to variant 1. The encoded isoform (3) is longer and has a distinct N-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.