

Product datasheet for **SC332651**

NOP2 (NM_001258308) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NOP2 (NM_001258308) Human Untagged Clone
Tag:	Tag Free
Symbol:	NOP2
Synonyms:	NOL1; NOP120; NSUN1; p120
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC332651 representing NM_001258308.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGGGCGCAAGTTGGACCCTACGAAGGAGAAGCGGGGGCCAGGCCGAAAGGCCCGAAGCAGAAGGGT
GCCGAGACAGAACTCGTCAGATTCTTGCCTGCAGTAAGTGACGAAAATCCAAGAGGCTGTCTAGTCGT
GCTCGAAAGAGGGCAGCCAAGAGGAGATTGGCTCTGTTGAAGCCCTAAGACAAATAAGTCTCCTGAG
GCCAAACCATTTGCTGGAAGCTACCAAAGGGATCTCTGCAGGAGCTGTCCAGACAGTGGTAAGAAAG
GGACCCAGTCCCTATTTAATGCTCCTCGAGGCAAGAAGCGCCAGCACCTGGCAGTGATGAGGAAGAG
GAGGAGGAAGACTCTGAAGAAGATGGTATGGTGAACCACGGGGACCTCTGGGGCTCCGAGGACGATGCT
GATACGGTAGATGACTATGGAGCTGACTCCAACCTCTGAGGATGAGGAGGAAGGTGAAGCGTTGCTGCC
ATTGAAAGAGCTGCTCGGAAGCAGAAGGCCCGGAAGCTGCTGCTGGGATCCAGTGGAGTGAAGAGGAG
ACCGAGGACGAGGAGGAAGAGAAAGAAGTGACCCCTGAGTCAGGCCCCCAAAGTGGAAGAGGCAGAT
GGGGCCCTGCAGATCAATGTGGATGAGGAACATTTGTGCTGCCCTGCTGGGGAGATGGAGCAGGAT
GCCCAGGCTCCAGACTGCAACGAGTTCACAAGCGGATCCAGGATATTGTGGGAATCTGCGTGATTTT
GGGGCTCAGCGGAGGAAGGGCGGTCTCGTTCTGAATACCTGAACCGGCTCAAGAAGGATCTGGCCATT
TACTACTCTATGGAGACTTCTGCTTGGAAGCTCATGGACCTTCCCTCTGTCTGAGCTGGTGGAG
TTCTTAGAAGCTAATGAGGTGCCTCGGCCCGTCAACCTCCGGACCAATACCTTGAAGAACCGACGCCGA
GACCTTGACAGGCTCTAATCAATCGTGGGGTTAACCTGGATCCCTGGGCAAGTGGTCAAAGACTGGA
CTAGTGGTGTATGATTCTTCTGTGCCATTGGTGTACCCCCGAGTACCTGGCTGGGCACTACATGCTG
CAGGGAGCCTCCAGCATGTTGCCCGTATGGCCTTGGCACCCAGGAACATGAGCGGATCCTGGACATG
TGTTGTGCCCTGGAGGAAAGACCAGCTACATGGCCAGCTGATGAAGAACACGGGTGTGATCCTTGCC
AATGACGCCAATGCTGAGCGGCTCAAGAGTGTGTTGGCAACTGCATCGGCTGGGAGTCAACCAACCC
ATTATCAGCCACTATGATGGGCGCCAGTCCCAAGGTGGTGGGGGCTTTGACCGAGTACTGCTGGAT
GCTCCCTGCAGTGGCACTGGGGTCACTCCAAGGATCCAGCCGTGAAGACTAACAAGGATGAGAAGGAC
ATCCTGCCTGTGCTCACCTCCAGAAGGAGTTGCTCCTGAGTGCTATTGACTCTGTCAATGCGACCTCC
AAGACAGGAGGCTACCTGGTTTACTGCACCTGTTCTATCACAGTAGAAGAGAATGAGTGGGTGGTAGAC
TATGCTCTGAAAAGAGGAATGTGCGACTGGTGGCCACGGGCTAGACTTTGGCCAGGAAGGTTTACC
CGCTTCGAGAAAGGCGCTTCCACCCAGTCTGCGTTCTACCCGACGCTTCTACCCTCATACCCACAAT
ATGGATGGGTTCTTATTGCCAAGTTCAAGAAATTTTCCAATTCTATCCCTCAGTCCCAGACAGGAAAT
TCTGAAACAGCCACACCTACAAATGTAGACTTGCCTCAGGTATCCCAAGTCTGAGAACAGCAGCCAG
CCAGCCAAGAAAGCCAAGGGGGCTGCAAAGACAAAGCAGCAGCTGCAGAAACAGCAACATCCAAGAAG
GCCTCCTTCCAGAAGCTGAATGGCATCTCAAAGGGGCAGACTCAGAATTGTCCACTGTACTTCTGTC
ACAAAGACCCAAGCTTCCCTCCAGCTTCCAGGATAGCAGTCAGCCAGCTGGAAAAGCCGAAGGGATCAGG
GAGCCAAGGTGACTGGGAAGCTAAAGCAACGATCACCTAAATTACAGTCTCCAAGAAAGTTGCTTTC
CTCAGGCAGAAATGCCCTCCCAAGGGCAGACACACAAACACCGGCTGTGTTATCCCCATCCAAGACT
CAGGCCACCTGAAACCTAAGGACCATCATCAGCCCTTGAAGGGCCAAGGGGGTTGAGAAGCAGCAG
TTGCCAGAGCAGCCTTTTGAGAAAGCTGCCTTCCAGAAACAGAATGATACCCCAAGGGGCTCAGCCT
CCCCTGTGTCTCCATCCGTTCCAGCCGCCCCCACCAGCAAAGAGGAAGAAATCTCAGTCCAGGGGC
AACAGCCAGCTGCTGCTATCTAG
  
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_001258308

Insert Size: 2439 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001258308.1
RefSeq Size:	2716 bp
RefSeq ORF:	2439 bp
Locus ID:	4839
UniProt ID:	P46087
Cytogenetics:	12p13.31
MW:	89.3 kDa
Gene Summary:	<p>Involved in ribosomal large subunit assembly (PubMed:24120868). S-adenosyl-L-methionine-dependent methyltransferase that specifically methylates the C(5) position of cytosine 4447 in 28S rRNA (Probable). May play a role in the regulation of the cell cycle and the increased nucleolar activity that is associated with the cell proliferation (Probable).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) uses an alternate splice site in the coding region, but maintains the reading frame, compared to variant 1. The encoded isoform (2) is longer than isoform 1.</p>