

## Product datasheet for **SC332775**

### Lipin 1 (LPIN1) (NM\_001261428) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Lipin 1 (LPIN1) (NM_001261428) Human Untagged Clone
Tag:	Tag Free
Symbol:	Lipin 1
Synonyms:	PAP1
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

**Fully Sequenced ORF:** >SC332775 representing NM\_001261428.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGGGGAACAGGACGGCATTGCGAGCTCCAGCTGGGAGACCTCGCAGGGCAAGAGCTCCCCAGACTCG
GCTTGGTCATGGATTCCAATAATGAGAGACCCTGGGTGGATTGCGAAATGTATGGTCTTCAAACATTAAC
GTGCAGACCATGAATTACGTGGGGCAGTTAGCCGGCCAGGTGTTTGTACCCTGAAGGAGCTCTACAAG
GGGTGAATCCCGCCACACTCTCAGGGTGCATTGACATCATTGTATCCGCCAGCCCAATGGAAACCTC
CAATGCTCCCCTTCCAGTCCGCTTTGGGAAGATGGGGTCTCGCTCCCGAGAGAAAAGTGGTTGAC
ATAGAAATCAATGGGAATCTGTGGATTGATATGAAATTGGGAGATAATGGAGAAGCATTTTTTGTT
CAAGAAACAGATAATGATCAGGAAGTTATCCCTATGCACCTGGCCACCTCCCCATCCTGTCAGAAGGA
GCTTCGAGAATGGAATGCCAGCTGAAAAGGGGCTCTGTGGACAGGATGAGAGGCTGGACCCAGCAGC
CCAGCCCAAGTGATCGTCCCAGCGAGACGCCGTCAAGCAGCTCTGTAGTAAAGAAGAGAAGAAAAAGG
AGGAGAAAGTACAGCTGGACAGCCTGAAGAGAGATGACAACATGAACACATCTGAGGATGAGGACATG
TTCCCATCGAGATGAGCTCGGATGAGGCCATGGAGCTGCTGGAGAGCAGCAGAACTCTTCTAATGAT
ATACCTCCATTCCAAGATGATATTCCTGAGGAAAACCTCTCCCTGGCTGTGATTTACCCTCAGTCAGCC
TCATACCTAATTCGGATAGAGAGTGGTCAACCCACTCCAGTAGCCTGGTAGATTGCAAAAAGGACTGCC
CCTCATCTTGAGTTGCGGCCGAGGGAGGTCTGTCTAGTCTTGGCCCTCCACAGTCTTCCCTGTTCCAT
CCTTCGAAAAGTCTTCCGGTCCCGACCTTCAACACCTAAAAGTGATTCAGAATTGGTCAGCAAGTCC
ACGGAAAGGACAGGGCAGAAGAACCAGAAATGCTTTGGCTGTGGGGAGAGCTGCCCGAGGCTGCTAAG
TCTTCTTCCACACAAGATGAAAGAGTCCAGCCATTGAGCAGTAGAAAAATTTGTGATAAAAGTCAC
TTTTAGGCCATTACAGCGAATCTTCCAGACTTTTAGTACCAATCGCCAACTTGGTCGGTGGGGCA
CTTTGGACCAGAACAAGCCTCAGACAGAAATGCAGTTTGTGAATGAAGAAGACCTGGAGACCTTAGGA
GCAGACGGCCACTCTTGCCATGATCGAGGAGCTCAAACCCCTCTGCCAGTGTAGTCCAGACAGCA
AACAAGACGGATTCTCTTCCAGGAAAAGAGATAAACGAAGCCGACATCTTGGTGTGACGGCGTCTAC
TTGGATGACCTCACAGACATGGATCCTGAAGTGGCGGCCCTGATTTTCCAAAAACGGAGATCCTTCC
GGACTCGCAAAACATGCAAGCGACAACGGAGCCGGTCAGCCAACAGTCCCGCAGTCCGTGGGCAGC
TCGGGCGTGGACAGTGGCGTGGAGAGCACCTCGGACGGGCTGAGGGACCTCCCTCCATCGCCATCTCC
CTCTCGGGGGCCTCAGCGACCACGGGAGATCACGAAAGATGCATTCTGGAGCAAGCTGTGTCATAT
CAACAGTTTGGACAACCCGCTATTATCGATGACCCCAATCTCGTGGTAAAGATTGGGAGTAAATAT
TATAACTGGACAACAGCAGCACCCCTCCTCTGGCAATGCAGGCCTTCCAGAACTTTGCCAAAGGCC
ACTGTGGAATCTATCATGAGGGATAAAATGCCAAAAAGGGAGGAAGATGGTGGTTTTTCATGGAGGGGA
AGAAACACCACAATCAAGGAGGAAAGTAAGCCAGAGCAGTGTGGCTGGCAAGGCCATAGCACCGGA
GAGCAACCGCCGAGCTCAGCTTGGCCACCAGGGTAAAGCATGAATCATCTCCAGTGATGAGGAGCGC
GCAGCTGCCAAGCCATCAAACGCAGGCCACCTCCCTTCTGCTAATGTGAGTACAAGAAGACTCTC
CGGCTGACTTCCGAGCAGCTTAAAAGCTTGAAGTTGAAGAATGGCCCAACGACGTGGTTTTTCAGTGTC
ACCACGCAGTACCAAGGCACGTGCCGCTGTGAGGGCACCATCTATCTGTGGAAGTGGGATGATAAAGTC
ATCATTCTGATATTGATGGGACAATTACCAGATCAGATACTCTTGGCCACATTTTGCCACCCTTGGG
AAGGATTGGACCCATCAGGGCATCGCTAAGCTGTACCAATAAAGTGAAGCAGCAATGGATATAAATTTCTC
TACTGTTCTGCCGTGCCATCGGGATGGCGGACATGACGCGGGGCTACCTGCAGTGGTCAACGAGAGG
GGCAGGTGTGCCCCAGGGGCCCTGCTGCTGAGTCCCAGCAGCCTTCTCTGCTGACAGAGAA
GTGATTGAAAAGAAGCCAGAAAAGTTTAAAGTCCAGTGTGACAGACATCAAAAACCTGTTTTTCCCC
AACACAGAACCTTTTATGCTGCTTTTGGAAACCGACCAGCTGATGTGATTATACAAGCAAGTAGGA
GTGTCTTTGAATAGAATATTTACCGTCAACCTAAAGGAGAGCTGGTACAGGAACATGCAAGACCAAC
ATCTCTCGTATGTGAGACTCTGTGAAGTAGTCGACCAGTTTTTCCGTTGCTGAAAAGAAGCCATTCT
TCAGACTTTCCCTGTTCCGATACCTTCAGTAACCTTACCTTTTGGAGAGAGCCACTGCCACCTTTGAA
AACCAGGACATTCATTCTGCCTCAGCGTAA
  
```

**Restriction Sites:** SgfI-MluI  
**ACCN:** NM\_001261428  
**Insert Size:** 2928 bp

<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001261428.1</a>
<b>RefSeq Size:</b>	5620 bp
<b>RefSeq ORF:</b>	2928 bp
<b>Locus ID:</b>	23175
<b>UniProt ID:</b>	<a href="#">Q14693</a>
<b>Cytogenetics:</b>	2p25.1
<b>MW:</b>	107.9 kDa
<b>Gene Summary:</b>	<p>This gene encodes a magnesium-ion-dependent phosphatidic acid phosphohydrolase enzyme that catalyzes the penultimate step in triglyceride synthesis including the dephosphorylation of phosphatidic acid to yield diacylglycerol. Expression of this gene is required for adipocyte differentiation and it also functions as a nuclear transcriptional coactivator with some peroxisome proliferator-activated receptors to modulate expression of other genes involved in lipid metabolism. Mutations in this gene are associated with metabolic syndrome, type 2 diabetes, acute recurrent rhabdomyolysis, and autosomal recessive acute recurrent myoglobinuria (ARARM). This gene is also a candidate for several human lipodystrophy syndromes. [provided by RefSeq, Mar 2017]</p> <p>Transcript Variant: This variant (3) differs in the 5' UTR and has multiple coding region differences, compared to variant 1. The encoded isoform (3) is longer compared to isoform 1.</p>