

Product datasheet for **SC332822**

TRAK1 (NM_001265608) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TRAK1 (NM_001265608) Human Untagged Clone
Tag:	Tag Free
Symbol:	TRAK1
Synonyms:	EIEE68; MILT1; OIP106
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC332822 representing NM_001265608.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGCATTGGTTTTTCAATTCGGGCAGCCCGTCAGGGCTCAGCCTCTGCCAGGACTCTGCCACGGCAAG
CTCATTCGGACAAACGCCTGTGATGTGTGCAACAGCACCAGATCTCCGGAAGTCGAGATCATTAGCCTG
CTGGAGGAGCAGCTGCCCCATTATAAGTTAAGAGCCGACACCATTACGGTTATGACCACGACGACTGG
CTCCATACACCTCTCATTCTCCAGATGCCAACATTGACCTCACAAACGAGCAAATGAAGAGACGTTA
AAATACTTCTTTTATGTGCTGAAAGAGTTGGCCAGATGACTAAGACATAAATGACATAGATGCTGTC
ACTCGGCTTCTTGAGGAGAAAGAGCGGGATTTAGAATTGGCCGCTCGCATCGGCCAGTCGTTGTTGAAG
AAGAACAAGACCCTAACCGAGAGGAACGAGCTGCTGGAGGAGCAGGTGGAACACATCAGGGAGGAGGTG
TCTCAGCTCCGGCATGAGCTGTCCATGAAGGATGAGCTGCTTCACTTCTACACCAGCGCTGCGGAGGAG
AGTGAGCCCGAGTCCGTTTGTCAACCCCGTTGAAGAGGAATGAGTCGTCTCTCAGTCCAGAATTAC
TTTTATTGGATTCTCTTCAAAGAAGCTGAAAGACCTTGAAGAGGAGAATGTTGTACTTCGATCCGAG
GCCAGCCAGCTGAAGACAGAGACCATCACCTATGAGGAGAAGGAGCAGCAGCTGGTCAATGACTGCGTG
AAGGAGCTGAGGGATGCCAATGTCCAGATTGCTAGTATCTCAGAGGAACGGCCAAGAAGACGGAAGAT
GCTGCCCGCCAGCAAGAGGAGATCACACACCTGCTATCGCAAATAGTTGATTTGCAGAAAAGGCAAAA
GCTTGCGCAGTGGAAAATGAAGAACTTGTCCAGCATCTGGGGGCTGCTAAGGATGCCAGCGGCAGCTC
ACAGCCGAGCTGCGTGAGCTGGAGGACAAGTACGCAGAGTGCATGGAGATGCTGCATGAGGCGCAGGAG
GAGCTGAAGAACCTCCGGAACAAAACCATGCCAATACCACGCTCTCGGCCTACCACTACTGGGCTG
TTTCCCATGGATTCTTGGCAGCAGAGATTGAGGGAACGATGCGCAAGGAGCTGCAGTTGGAAGAGGCC
GAGTCTCCAGACATCACTACCAGAAGCGTGTCTTTGAGACAGTAAGAAACATCAACCAGTTGTCAAG
CAGAGATCTTGACCCCTTCTCCATGAACATCCCCGGCTCCAACCAGTCTCGGCCATGAACTCCCTC
CTGTCCAGCTGCGTCAGCACCCCGGTCAGCTTCTACGGCAGGACATAGGCAACGTCGTCCTCGAC
AACAAAGACCAACAGCATCATTCTGGAAAACAGAGGCAGCCGACCTGGGAAACGATGAGCGGAGTAAGAAG
CCGGGGACGCGGGCACCCAGGCTCCCACGACCTGGAGACGGCGCTGAGGCGGCTGTCCCTGCGCCGG
GAGAACTACCTCTCGGAGAGGAGTTCTTTGAGGAGGAGCAAGAGAGGAAGCTCCAGGAGCTGGCGGAG
AAGGGCGAGCTGCGCAGCGGCTCCCTCACACCCACTGAGAGCATCATGTCCCTGGGCACGCACTCCCGC
TTCTCCGAGTTCACCGGCTTCTTGCCATGTCTTTCAGCAGCCGCTCTACCTGCCTGAGAAGCTCCAG
ATCGTGAAGCCGCTGGAAGGTTCCGCCACACTTACCCTGCGCAGCAGTTGGCCAACTCACCTTGGG
GGCATCTGGACCCCGCCCGGTGTGGTACCAAGGGCTTCCGGACGCTGGATGTTGACCTGGACGAA
GTGTAAGCTTAAAGACTTTGAAGAAGATGACACAGGTGACCACATTTCTCCCACGCTAGCTACC
TCCACTCCAGTTCAGACCCAGAGACCTCAGGTGAGAGGTCCCAAGCACGTGTGACTGTCTCAGGCAGC
AGAAGTTACCCGAGCCGGCTCAGGCTTCCCAGAGGAGATGCAGGAGCCGCCAGCGGCCACGGAGGAG
GAGGAGGAGGAGGAGGAGGAGGAGGGTCTGGTGAAGGACACGATAAGTCTGTAAACTTGGCACCT
TTCCCGGAGGCAGAGTTTTGGCCATTCTCACCTGTTCAGGCACCATCCGTAGTGGTTCTGTCT
GTAGCTTCGCTCGTCTGTGTGGTGA
  
```

Restriction Sites: Sgfl-Mlul

ACCN: NM_001265608

Insert Size: 2235 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001265608.1
RefSeq Size:	4820 bp
RefSeq ORF:	2235 bp
Locus ID:	22906
UniProt ID:	Q9UPV9
Cytogenetics:	3p22.1
Protein Families:	Transcription Factors
MW:	83.6 kDa
Gene Summary:	<p>Involved in the regulation of endosome-to-lysosome trafficking, including endocytic trafficking of EGF-EGFR complexes and GABA-A receptors (PubMed:18675823). Involved in mitochondrial motility. When O-glycosylated, abolishes mitochondrial motility. Crucial for recruiting OGT to the mitochondrial surface of neuronal processes (PubMed:24995978). TRAK1 and RHOT form an essential protein complex that links KIF5 to mitochondria for light chain-independent, anterograde transport of mitochondria (By similarity).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (3) differs in the 3' UTR, which results in a frameshift, compared to variant 1. The encoded isoform (3) is shorter and has a distinct C-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>