

Product datasheet for **SC332857**

eIF3s8 (EIF3C) (NM_001267574) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	eIF3s8 (EIF3C) (NM_001267574) Human Untagged Clone
Tag:	Tag Free
Symbol:	eIF3s8
Synonyms:	eIF3-p110; EIF3CL; EIF3S8
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC332857 representing NM_001267574.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGTCGCGGTTTTTACCACCGGTTCCGACAGCGAGTCCGAGTCGTCCTTGTCCGGGGAGGAGCTCGTC
ACCAAACCTGTCGGAGGCAACTATGGCAAACAGCCATTGTTGCTGAGCGAGGATGAAGAAGATACCAAG
AGAGTTGTCGCGAGTGCCAAGGACAAGAGTTTGAGGAGCTGACCAACCTTATCCGGACCATCCGTAAT
GCCAATAAGATTCTGTATGTCACCAAGTCCCTGGAAGAGTTTGAGCTCCTGGGAAAAGCATATGGGAAG
GCCAAAAGCATTGTGGACAAAGAAGGTGTCCCGGTTCTATATCCGCATCCTGGCTGACCTAGAGGAC
TATCTTAATGAGCTTTGGGAAGATAAGGAAGGGAAGAAGAAGATGAACAAGAACAATGCCAAGGCTCTG
AGCACCTTGCCTCAGAAGATCCGAAAATACAACCGTGATTTTCGAGTCCCATATCACAAGCTACAAGCAG
AACCCCGAGCAGTCTGCGGATGAAGATGCTGAGAAAAATGAGGAGGATTCAGAAGGCTCTTCAGATGAG
GATGAGGATGAGGACGGAGTCACTGCTGCAACTTTCTTGAAGAAGAAATCAGAAGCTCCTTCTGGGGAG
AGTCGCAAGTTCCCTAAAAAGATGGATGATGAAGATGAGGACTCAGAAGATTCGAAGATGATGAAGAC
TGGGACACAGGTTCCACATCTTCCGATTCCGACTCAGAGGAGGAAGAAGGGAAACAAACCCGCTGGCC
TCAAGATTTCTTAAAAAGCACCACACAGATGAGGACAAGAAGGCAGCCGAGAAGAAACGGGAGGAC
AAAGCTAAGAAGAAGCAGCAGGAAATCCAAGCGCTGGATGAGGAGGAGGAGACAATGAAGCGGGG
GAGTGGGAAAGGGTCCGGGGCGGAGTGCCTGGTTAAGGAGAAGCCAAAATGTTTGCCAAGGGAAT
GAGATCACCCATGCTGTTGTTATCAAGAACTGAATGAGATCCTACAGGCACGAGGCAAGAAGGGAAT
GATCGTGTGCCAGATTGAGCTGCTGCAACTGCTGGTTCAGATTGCAGCGGAAAACAACCTGGGAGAG
GGCGTCATTGTCAAGATCAAGTTCAATATCATCGCCTCTCTATGACTACAACCCCAACCTGGCAACC
TACATGAAGCCAGAGATGTTGGGGAAGTGCCTGGACTGCATCAATGAGCTGATGGATATCCTGTTTGA
AATCCCAACATTTTTGTTGGAGAGAATATTCTGGAAGAGAGTGAGAACCTGCACAACGCTGACCAACCA
CTGCGGTGCCGCTGCATCCTAACTCTGGTGGAAACGAATGGATGAAGAATTTACCAAAAATAATGCAA
AATACTGACCTCACTCCCAAGAGTACGTGGAGCACTTGAAGGATGAGGCCAGGTGTGTGCCATCATC
GAGCGTGTGCAGCGCTACCTGGAGGAGAAGGGCACTACCGAGGAGGTCTGCCGCATCTACCTGCTGCGC
ATCCTGCACACCTACTACAAGTTTGATTACAAGGCCCATCAGCGACAGCTGACCCCGCTGAGGGCTCC
TCAAAGTCTGAGCAAGACCAGGCAGAAAATGAGGGCGAGGACTCGGCTGTGTTGATGGAGAGACTGTGC
AAGTACATCTACGCCAAGGACCGCACAGACCGGATCCGCACATGTCCATCCTCTGCCACATCTACCAC
CATGCTCTGCACTCGCGTGGTACCAGGCCCGCACCTCATGCTCATGAGCCACTGCAGGACAACATT
CAGCATGCAGACCCGCGCAGTGCAGATCCTTTACAACCGCACCATGGTGCAGCTGGGCATCTGTGCCCTT
CGCAAGGCCCTGACCAAGGACGCACACAACGCCCTGCTGGACATCCAGTCGAGTGGCCGAGCCAAGGAG
CTTCTGGGCCAGGGCCTGCTGCTGCGCAGCCTGCAGGAGCGCAACCAGGAGCAGGAGAAGGTGGAGCGG
CGCCGTCAAGTCCCTTCCACCTGCACATCAACCTGGAGCTGCTGGAGTGTGTCTACCTGGTGTCTGCC
ATGCTCCTGGAGATCCCTACATGGCCGCCATGAGAGCGATGCCCGCCGACGCATGATCAGCAAGCAG
TTCCACCACCAGCTGCGCGTGGGCGAGCGACAGCCCTGCTGGTCCCCCTGAGTCCATGCGGGAACAT
GTGGTCTGCTGCCCAAGGCCATGAAGATGGGTGACTGGAAGACCTGTACAGTTTTATCATCAATGAG
AAGATGAATGGGAAAGTGTGGGACCTTTTCCCCAGGCTGACAAAGTCCGCACCATGCTGGTTAGGAAG
ATCCAGGAAGAGTCACTGAGGACCTACCTTTACCTACAGCAGTGTCTATGACTCCATCAGCATGGAG
ACGCTGTCAGACATGTTTGGAGCTGGATCTGCCACTGTGCACTCCATCATCAGCAAAAATGATCATTAA
TGGAGGCTGATGGCTCCCTGGACCAGCCAACACAGACAGTGGTATGCACCGCACTGAGCCCACTGCC
CAGCAGAACCTGGCTCTGCACTGGCCGAGAAGCTGGGAGCCTGGTGGAGAACAACGAACGGGTGTTT
GACCACAAGCAGGGCACCTACGGGGGCTACTTCCGAGACCAGAAGGACGGCTACCGCAAAAACGAGGGG
TACATGCGCCGCGGTGGCTACCGCCAGCAGCAGTCTCAGACGGCCTACTGA
    
```

Restriction Sites: Sgfl-Mlul
 ACCN: NM_001267574
 Insert Size: 2742 bp

OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001267574.2
RefSeq Size:	3234 bp
RefSeq ORF:	2742 bp
Locus ID:	8663
UniProt ID:	Q99613
Cytogenetics:	16p11.2
Protein Families:	Druggable Genome
MW:	105.3 kDa
Gene Summary:	<p>Component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required for several steps in the initiation of protein synthesis (PubMed:17581632, PubMed:25849773, PubMed:27462815). The eIF-3 complex associates with the 40S ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-tRNAⁱ and eIF-5 to form the 43S pre-initiation complex (43S PIC). The eIF-3 complex stimulates mRNA recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex is also required for disassembly and recycling of post-termination ribosomal complexes and subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to initiation (PubMed:17581632). The eIF-3 complex specifically targets and initiates translation of a subset of mRNAs involved in cell proliferation, including cell cycling, differentiation and apoptosis, and uses different modes of RNA stem-loop binding to exert either translational activation or repression (PubMed:25849773).[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR, compared to variant 1. Variants 1-4 encode the same isoform (a). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>