

## Product datasheet for **SC332899**

### **BORIS (CTCFL) (NM\_001269045) Human Untagged Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** BORIS (CTCFL) (NM\_001269045) Human Untagged Clone  
**Tag:** Tag Free  
**Symbol:** BORIS  
**Synonyms:** BORIS; CT27; CTCF-T; dj579F20.2; HMGB1L1  
**Vector:** pCMV6-Entry (PS100001)  
**Fully Sequenced ORF:** >SC332899 representing NM\_001269045.  
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGCAGCCACTGAGATCTCTGTCCTTTCTGAGCAATTCACCAAGATCAAAGAACTCGAGTTGATGCCG
GAAAAAGGCCTGAAGGAGGAGGAAAAAGACGGAGTGTGCAGAGAGAAAGACCATCGGAGCCCTAGTGAG
TTGGAGGCCGAGCGTACCTCTGGGGCCTCCAGGACAGCGTCTGGAGGAAGAAGTGGAGCTGGTGTG
GCCCCCTCGGAGGAGAGCGAGAAGTACATCCTGACCCTGCAGACGGTGCACCTTCACTTCTGAAGCTGTG
GAGTTGCAGGATATGAGCTTGTGAGCATACAGCAGCAAGAAGGGGTGCAGGTGGTGGTGAACAGCCT
GGCCCTGGGTTGTGTGGCTTGTGGAAGGGCCCCGGCAGAGCCTGCAGCAGTGTGTGGCCATTAGTATC
CAGCAAGAGCTGTACTCCCCGAAGAGATGGAGGTGTTGCAGTTCACCGCTCTAGAGGAGAAATGTATG
GTGGCCAGTGAAGACAGTAAGTTAGCGGTGAGCCTGGCTGAAACTACTGGACTGATCAAGCTCGAGGAA
GAGCAGGAGAAGAACCAGTTATTGGCTGAAAGAACAAGGAGCAGCTCTTTTTGTGAAACAATGTCA
GGAGATGAAAGAAGTGACGAAATTTGTTCTCACAGTTTCAAATTCAAATGTGGAAGAACAAGAGGATCAA
CCTACAGCTGGTCAAGCAGATGCTGAAAAGGCCAAATCTACAAAAATCAAAGAAAGACAAAGGGAGCA
AAAGGAACCTTCCACTGTGATGTCTGCATGTTACCTCTTCTAGAATGTCAAGTTTTAATCGTCATATG
AAAACACACACAGTGAAGCCCTCACCTGTGTACCTCTGCCTGAAAACCTTCCGTACGGTCACTCTG
CTGCGGAACCATGTTAACACCCACACAGGAACCGCCCTACAAGTGAACGACTGCAACATGGCATT
GTCACCAGTGGAGAACTCGTCCGACACAGGCGCTATAAACATACTCATGAGAAACCTTTAAATGTTCC
ATGTGCAAGTATGCCAGTGTGGAGGCAAGTAAATTGAAGCGCATGTCCGATCCCACACTGGGGAGCGC
CCCTTTCAGTGTGCCAGTGCAGCTATGCCAGCAGAGATACCTACAAGCTGAAACGCCACATGAGAACG
CACTCAGGTGAGAAGCCTTACGAATGCCACATCTGCCACACCCGCTTACCCAGAGCGGGACCATGAAA
ATACATATTCTGCAGAAACACGGCGAAATGTCCCAAATACCAGTGTCCCATTTGTGCCACCATCATT
GCACGGAAAAGCGACCTACGTGTGCATATGCGCAACTTGCATGCTTACAGCGCTGCAGAGCTGAAATGC
CGTACTGTTCTGCTGTCTTCCATGAACGCTATGCCCTCATTGACACCAGAAAACCTCATAAGAATGAG
AAGAGGTTCAAGTCAAACACTGCAGTTATGCCTGCAAGCAGGAACGTCATATGACCGCTCACATTCGT
ACCCACACTGGAGAGAAACCATTCACCTGCCTTTCTTGAATAAATGTTCCGACAGAAGCAACTCTA
AACGCTCACTTACGAAATACCAGATGCAAAATTCATCCCGACTGTTTACAAATGCTCCAAGTGTGGC
AAAGGCTTTTCCCGCTGGATTCTCTGGGTTGGGAACTCGGAAGTGGCTGAACTGGGTGGTCTGGCTCA
GGGCCACTCCTGAGGCTGCAGTCAGGATGTCCGCCAGGGCTGCATCATCCGAAGGCTGGACTGGGGCCA
GAGGATCCACTTCCAGGACAGCTCCGCCACAACTGCTGGCACCAGGCTCAGTTCCTTGTACAGGGA
CCTCTCTGCAGGGCTGCTGA
  
```



[View online »](#)

<b>Restriction Sites:</b>	Sgfl-Mlul
<b>ACCN:</b>	NM_001269045
<b>Insert Size:</b>	1884 bp
<b>OTI Disclaimer:</b>	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_001269045.1</a>
<b>RefSeq Size:</b>	2955 bp
<b>RefSeq ORF:</b>	1884 bp
<b>Locus ID:</b>	140690
<b>UniProt ID:</b>	<a href="#">Q8NI51</a>
<b>Cytogenetics:</b>	20q13.31
<b>Protein Families:</b>	Transcription Factors
<b>MW:</b>	71.2 kDa
<b>Gene Summary:</b>	<p>CCCTC-binding factor (CTCF), an 11-zinc-finger factor involved in gene regulation, utilizes different zinc fingers to bind varying DNA target sites. CTCF forms methylation-sensitive insulators that regulate X-chromosome inactivation. This gene is a paralog of CTCF and appears to be expressed primarily in the cytoplasm of spermatocytes, unlike CTCF which is expressed primarily in the nucleus of somatic cells. CTCF and the protein encoded by this gene are normally expressed in a mutually exclusive pattern that correlates with resetting of methylation marks during male germ cell differentiation. Multiple alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jun 2012]</p> <p>Transcript Variant: This variant (7, also known as A5) lacks two exons and includes an alternate 3' terminal exon, compared to variant 1. The resulting isoform (5) has a shorter and distinct C-terminus, compared to isoform 1.</p>