

Product datasheet for **SC332919**

CCK4 (PTK7) (NM_001270398) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CCK4 (PTK7) (NM_001270398) Human Untagged Clone
Tag:	Tag Free
Symbol:	CCK4
Synonyms:	CCK-4; CCK4
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF:

>SC332919 representing NM_001270398.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGGGGAGTTTCTGTGCGGGGAGAAAAGACCATCCGCACCCACCGTGGGGAGCGCGATGGAGAAAAAG
GAATCCCCACCCACCCGGCAGGGTCGGCCCAGGTACCCAGACAGCCATTGTCTTCATCAAGCAGCCG
TCCTCCAGGATGCACTGCAGGGGCGCCGGGCGCTGCTTCGCTGTGAGGTTGAGGCTCCGGGCCCGGTA
CATGTGTACTGGCTGCTCGATGGGGCCCTGTCCAGGACACGGAGCGGCTTTCCGCCAGGGCAGCAGC
CTGAGCTTTGCAGCTGTGGACCGGCTGCAGGACTCTGGCACCTCCAGTGTGTGGCTCGGGATGATGTC
ACTGGAGAAGAAGCCCGCAGTGCCCAACGCCTCCTTCAACATCAAATGGATTGAGGCAAGTCTGTGGTC
CTGAAGCATCCAGCCTCGGAAGCTGAGATCCAGCCACAGACCCAGGTCACTTTCGTTGCCACATTGAT
GGGCACCCCTCGGCCACCTACCAATGGTTCGAGATGGGACCCCTTTCTGATGGTCAGAGCAACCAC
ACAGTCAGCAGCAAGGAGCGGAACCTGACGCTCCGGCCAGCTGGTCTGAGCATAGTGGGCTGTATTCC
TGCTGCGCCACAGTGTCTTTGGCCAGGCTTGACGAGCCAGAATTACCTTGAGCATTGCTGATGAA
AGCTTTGCCAGGGTGGTGTGGCACCCAGGACGTGGTAGTAGCGAGGTATGAGGAGGCCATGTTCCAT
TGCCAGTTCTCAGCCAGCCACCCCGAGCCTGCAGTGGCTCTTTGAGGATGAGACTCCCATCACTAAC
CGCAGTCGCCCCACACCTCCGCAGAGCCACAGTGTTCGCAACGGGTCTCTGCTGCTGACCCAGGTC
CGGCCACGCAATGCAGGGATCTACCGCTGCATTGGCCAGGGGCAGAGGGGCCACCCATCATCTGGAA
GCCACACTTACCTAGCAGAGATTGAAGACATGCCGCTATTTAGCCACGGGTGTTTACAGCTGGCAGC
GAGGAGCGTGTGACCTGCCTTCCCCCAAGGGTCTGCCAGAGCCAGCGTGTGGTGGGAGCACGCGGGA
GTCCGGCTGCCACCCATGGCAGGGTCTACCAGAAGGGCCACGAGCTGGTGTGGCCAATATTGCTGAA
AGTGATGCTGGTGTACACCTGCCACGCGGCCAACCTGGCTGGTCAGCGGAGACAGGATGTCAACATC
ACTGTGGCCACTGTGCCCTCTGGCTGAAGAAGCCCCAAGACAGCCAGCTGGAGGAGGGCAAACCCGGC
TACTTGATTGCCTGACCCAGGCCACCAAACCTACAGTTGTCTGGTACAGAAACAGATGCTCATC
TCAGAGGACTCACGGTTCGAGGTTCAAGAATGGGACCTTGCGCATCAACAGCGTGGAGGTGTATGAT
GGGACATGGTACCGTTGTATGAGCAGCACCCAGCCGGCAGCATCGAGGCGCAAGCCGTGTCCAAGTG
CTGAAAAGCTCAAGTTCACACCACCACCCAGCCACAGCAGTGCATGGAGTTTGACAAGGAGGCCACG
GTGCCCTGTTAGCCACAGGCCGAGAGAAGCCCACTATTAAGTGGGAACGGGCAGATGGGAGCAGCCTC
CCAGAGTGGGTGACAGACAACGCTGGGACCCTGCATTTTGCCGGGTGACTCGAGATGACGCTGGCAAC
TACACTGCATTGCCTCCAACGGGCCGAGGGCCAGATTCTGCCATGTCCAGTCACTGTGGCAGTT
TTTATCACCTTCAAAGTGAACAGAGCGTACGACTGTGTACCAGGGCCACAGCCCTACTGCAGTGC
GAGGCCACAGGGGACCCCAAGCCGTGATTCAGTGGAAAGGCAAGGACCGCATCTGGACCCCAACAG
CTGGGACCCAGGATGCACATCTCCAGAATGGCTCCCTGGTGTCCATGACGTGGCCCTGAGGACTCA
GGCCGCTACACCTGCATTGCAGGCAACAGCTGCAACATCAAGCACACGGAGGCCCCCTCTATGTGCTG
GACAAGCCTGTGCCGGAGGAGTCGGAGGGCCCTGGCAGCCCTCCCCCTACAAGATGATCCAGACCATT
GGGTTGTCCGGTGGGTGCCGCTGTGGCCTACATCATTGCCGTGCTGGGCCTCATGTTCTACTGCAAGAAG
CGCTGCAAAGCCAAGCGGCTGCAGAAGCAGCCGAGGGCGAGGAGCCAGAGATGGAATGCCTCAACGGT
GGGCCTTTCAGAACGGGCAGCCCTCAGCAGAGATCCAAGAAGAAGTGGCCTTGACCAGCTTGGGCTCC
GGCCCCGGGCCACCAACAAACGCCACAGCACAAGTATAAGATGCACTCCACGGTCTAGCCTGCAG
CCATCACACGCTGGGAAGAGTGAAGTTGGGGAGGTGTTCTGGCAAAGGCTCAGGGCTTGGAGGAG
GGAGTGGCAGAGACCCTGGTACTTGTGAAGAGCCTGCAGAGCAAGGATGAGCAGCAGCAGCTGGACTTC
CGGAGGGAGTTGGAGATGTTGGGAAGCTGAACCACGCCAACGTGGTGGCCTCTGGGGCTGTGCCGG
GAGGCTGAGCCCCACTACATGGTGTGGAATATGTGGATCTGGGAGACCTCAAGCAGTTCCTGAGGATT
TCCAAGAGCAAGGATGAAAAATTGAAGTACAGCCCTCAGCACCAAGCAGAAGTGGCCCTATGCACC
CAGGTAGCCCTGGGCATGGAGCACCTGTCCAACAACCGCTTTGTGCATAAGGACTGGCTGCGCGTAAC
TGCTGGTCAGTGCCAGAGACAAGTGAAGGTGTCTGCCCTGGGCCTCAGCAAGGATGTGTACAACAGT
GAGTACTACCACTCCGCCAGGCTGGGTGCCGCTGCGCTGGATGTCCCCGAGGCCATCTGGAGGGT
GACTTCTACCAAGTCTGATGTCTGGGCTTCGGTGTGCTGATGTGGAAAGTGTACACATGGAGAG
ATGCCCATGGTGGGCAGGCAGATGATGAAGTACTGGCAGATTTGCAGGCTGGGAAGGCTAGACTTCTC
CAGCCCCAGGGGCTGCCCTTCAAACCTATCGGCTGATGCAGCGCTGCTGGGCCCTCAGCCCCAAGGAC
CGGCCCTCTTACGTGAGATTGCCAGCGCCCTGGGAGACAGCACCGTGGACAGCAAGCCGTGA
  
```

Restriction Sites:	Sgfl-Mlul
ACCN:	NM_001270398
Insert Size:	3237 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001270398.1
RefSeq Size:	4146 bp
RefSeq ORF:	3237 bp
Locus ID:	5754
UniProt ID:	Q13308
Cytogenetics:	6p21.1
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
MW:	119.2 kDa
Gene Summary:	<p>This gene encodes a member of the receptor protein tyrosine kinase family of proteins that transduce extracellular signals across the cell membrane. The encoded protein lacks detectable catalytic tyrosine kinase activity, is involved in the Wnt signaling pathway and plays a role in multiple cellular processes including polarity and adhesion. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jul 2012]</p> <p>Transcript Variant: This variant (6) differs in the 5' UTR, lacks a portion of the 5' coding region and initiates translation at an alternate start codon, compared to variant PTK7-1. The encoded isoform (e) is longer and has a distinct N-terminus, compared to isoform a.</p>