

## Product datasheet for **SC332974**

### AKAP13 (NM\_001270546) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	AKAP13 (NM_001270546) Human Untagged Clone
Tag:	Tag Free
Symbol:	AKAP13
Synonyms:	AKAP-13; AKAP-Lbc; ARHGEF13; BRX; c-lbc; HA-3; Ht31; LBC; p47; PRKA13; PROTO-LB; PROTO-LBC
Vector:	pCMV6-Entry (PS100001)
Fully Sequenced ORF:	>SC332974 representing NM_001270546. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
ATGTATGAACGGCACAAGAGGCGCTACAGCCTCTGTGACATCTCCAAGGTGGACAGGACTGTGGACGTG
GTATTGCTGAAGATAAACCGAGAAAACCTGGTGTACAATAGAGCCATGCCCTGATGCAGCATCTCTTCTG
GCTTCCAAGCAGAGCCCAGAATGTGAGAACTTCTGGATGTTGGACTGGGAGAGAGTGTACCTCAAAA
CAAGGTGTACTTAAAAGAGAATCTGGGAGTGATTCTGACCTCTTCACTCACCCAGTGATGACATGGAC
AGCATCATCTTCCCAAAGCCAGAGGAAGAGCATTGGCCGTGTGATATCACCGGATCCAGTTCATCCACC
GATGACACGGCTCACTGGACCGACATTCTTCTCATGGCAGTGATGTGTCTCTCCCAGATTTAAAG
CCAAACAGGTCAAGAGATCGGCAAAGCCTTGATGGATTCTACAGCCATGGGATGGGAGCTGAGGGTCGA
GAAAGTGAGAGTGAGCCTGCTGACCCAGGCGAGTGGAGGAGGAGATGGACAGTATCACTGAAGTG
CCTGCAAACCTGCTGTCTTAAGGAGCTCCATGCGCTCTCTTTCTCCCTCCGGAGGCACAGCTGGGGG
CCTGGGAAAAATGCAGCCAGCGATGCAGAAATGAACCACCGGAGTTTCAGTCTAGAAGGCTTGACAGGA
GGAGCTGGTGTGCGAAACAAGCCATCCTCATCTCTAGAAGTAAGCTCTGCAAATGCCGAAGAGCTCAGA
CACCCATTCAGTGGTGAGGAACGGGTTGACTCTTTGGTGTCACTTTCAGAAGAGGATCTGGAGTCAGAC
CAGAGAGAACATAGGATGTTTGATCAGCAGATATGTCACAGATCTAAGCAGCAGGATTTAATTACTGT
ACATCAGCCATTTCTCTCCATTGACAAAATCCATCTCATTAAATGACAATCAGCCATCCTGGATTGGAC
AATTCACGGCCCTCCACAGTACCTTCCACAATACCAGTGCTAATCTGACTGAGAGTATAACAGAAGAG
AACTATAATTTCTGCCACATAGCCCTCCAAGAAAGATTCTGAATGGAAGAGTGAACAAAAGTCAGT
CGTACATTCAGCTACATCAAGAATAAAAATGTCTAGCAGCAAGAAGAGCAAGAAAAGGAAAAAGAAAA
GATAAGATTAAGGAGAAGGAGAAAGATTCTAAAGACAAGGAGAAAGATAAGAAGACTGTCAACGGGCAC
ACTTTCAGTTCATTCTGTTGTGGGTCCCATCAGCTGTAGCCAGTGTATGAAGCCCTTCAACCAACAAA
GATGCCTATACTTGTGCAAATTCAGAGTCTTTTGTCCACAAGGCTGCCGAGAAAGTCTAGCCTCTGT
GCAAAGGTCAAATGAAGCCAAAGGGAGCCTTCAGGCACATGACACATCATCACTGCCACGGTCATT
ATGAGAAACAAGCCCTCACAGCCAAAGGAGCGTCTCGGTCCGAGTCTCTGTTGGTGAATACCAGCT
ACCACCCCAATATTTGCCAATAGACGATCCAGCAGAGTGTCTCGCTCTCCAAAAGTGTCTCCATACAG
AACATTACTGGAGTTGGCAATGATGAGAACATGTCAAACACCTGGAATTCCTGTCTCATTCAACAGAC
TCACTAAATAAAAATCAGCAAGGTCAATGAGTCAACAGAATCACTTACTGATGAGGGAGTAGGTACAGAC
ATGAATGAAGGACAACACTACTGGGAGACTTTGAGATTGAGTCCAAACAGCTGGAAGCAGAGTCTTGGAGT
CGGATAATAGACAGCAAGTTTCTAAAACAGCAAAAGAAAGATGTGGTCAAACGGCAAGAAGTAATATAT
```



GAGTTGATGCAGACAGAGTTTCATCATGTCCGCACTCTCAAGATCATGAGTGGTGTGTACAGCCAGGGG  
ATGATGGCGGATCTGCTTTTTGAGCAGCAGATGGTAGAAAAGCTGTTCCCTGTTTGGATGAGCTGATC  
AGTATCCATAGCCAATCTTCCAGAGGATTCTGGAGCGGAAGAAGGAGTCTCTGGTGGATAAAAAGTGAA  
AAGAACTTTCTCATCAAGAGGATAGGGGATGTGCTTGTAAATCAGTTTTTCAGGTGAGAATGCAGAACGT  
TTAAAGAAGACATATGGCAAGTTTTGTGGGCAACATAACCAGTCTGTAACACTCTCAAAGACCTTTAT  
GCCAAGGATAAGCGTTTTCAAGCCTTTGTAAAGAAGAAGATGAGCAGTTCAGTTGTTAGAAGGCTTGGAA  
ATCCAGAGTGCATATTGCTTGTAACTCAGCGGATTACCAAGTACCCAGTTTTATTCCAAAGAATATTG  
CAGTGTACCAAAGACAATGAAGTGGAGCAGGAAGATCTAGCACAGTCTTGAAGCCTGGTGAAGGATGTG  
ATTGGAGCTGTAGACAGCAAAGTGGCAAGTTATGAAAAGAAAGTGCCTCTCAATGAGATTTATACAAG  
ACAGATAGCAAGTCAATCATGAGGATGAAGAGTGGTGCAGATGTTTCCAAGGAAGATTTGAAACGGAAG  
AAGCTTGTACGTGATGGGAGTGTGTTTCTGAAGAATGCAGCAGGAAGGTTGAAAGAGGTTCAAGCAGTT  
CTTCTCACTGACATTTTAGTTTTCTTCAAGAAAAAGACCAGAAGTACATCTTTCATCATTGGACCAG  
AAGTCAACAGTGTCTCTTAAAGAAGCTGATTGTGAGAGAAGTGGCACATGAGGAGAAAGGTTTATTC  
CTGATCAGCATGGGATGACAGATCCAGAGATGGTAGAAGTCCATGCCAGCTCCAAGAGGAACGAAAC  
AGCTGGATTTCAGATCATTAGGACACAATCAACACCCTGAACAGAGATGAAGATGAAGGAATTCCTAGT  
GAGAATGAGGAAGAAAAGAAAATGTTGGACACCAGAGCCCGAATTAAGAACAACCTCACCAGAAG  
GACCAAAAAATCCTACTCTTGTGGAAAGAGAAGGAGATGATTTCCGGGACATGGCTGAGTGCAGCACC  
CCTCTCCAGAGGATTGCTCCCCAACACATAGCCCTAGAGTTCTTCCGCTCCAACACAGAAGAGGCT  
CTCAAAGGAGGACCTTTAATGAAAAGTGAATAAATGAGGTGGAGATCCTCAGGGTTTGGTGAAGTGA  
AATCTGGGAGGCACACTTGGGCCGACTGTCAGCAGCCCCATTGAGCAAGATGTGGTCGGTCCCCTTTCC  
CTGCCCGGAGAGCAGAGACCTTGGAGGATTTGACAGCCATCAGATGAATGCTTCAAAGGAGGCGGAG  
AAGGAAGAGGGAGATGATGGCCAAGATCTTAGGAGAACGGAATCAGATAGTGGCTAAAAAGGGTGA  
AATGCTAACCTGGTATTTATGCTTAAAGAAACAGTGAAGCAGTTGTCAGAGCCTTTCATCTCTAC  
GAGCTCCTCAGCCCTCTGCAGGGTGTGGTGTGCAGCAGGACAGCTACATTGAGGACCAGAAACTGGTG  
CTGAGCGAGAGGGCGCTCACTCGCAGCTTGTCCCGCCGAGCTCCCTCATTGAGCAGGAGAAGCAGCGC  
AGCCTGGAGAAGCAGCGCCAGGACCTGGCCAACCTGCAGAAGCAGCAGGCCACGTACCTCGAGGAGAAG  
CGCAGGCGCAGCGTGTGTTGGAAGCTCGTGAGAGGGAGCTGCGGGAGCGGGAGGCCCTCTGGCCAG  
CGCGAGGAGGAGTGCAGCAGGGGAGCAGGACCTGAAAAGGAGCGGGAGGAGCTCCAGCAGAAGAAG  
GGCACATACCAGTATGACCTGGAGCGACTGCGTGTGCCAGAAACAGCTTGAGAGGGAACAGGAGCAG  
CTGCGCCGGGAGGAGCAGCGCTCAGCCAGCGGACAGACAACGGGACCTGTGTCAGGTTTCCCATCCA  
CATACCAAGCTGATGAGGATCCCATCGTCTTCCCAGTCTGAGGAGCCCCCTCGCCATCTGCACCT  
TCCATAGCCAAATCAGGGTCAATTGACTCAGAACCTTTCAGTGTCCCAAAAAGGAACAGCATCTCTCGG  
ACACACAAAGATAAGGGGCTTTTACATACTGAGTTCAACCAGCCAGACAAAACAAGGACCAGAAGGG  
CAGAGCCAGGCCCTGCGTCCACCTCTGCTCTACCCGCTGTTTGGGTTAAACAAGCCAAAGGAAAAAG  
AAGGAGAAAAAAGAAGAACAACCAAGCCGCTCTCAGCCCGGTGATGGTCCCAGCTCAGAAGTATCA  
GCAGAGGGTGAAGAGATCTTCTGCTGA

Restriction Sites:

Sgfl-MluI

**Plasmid Map:**


**ACCN:** NM\_001270546

**Insert Size:** 4305 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001270546.1](#)

**RefSeq Size:** 9146 bp

**RefSeq ORF:** 4305 bp

**Locus ID:** 11214

**UniProt ID:** [Q12802](#)

**Cytogenetics:** 15q25.3

**Protein Families:** Druggable Genome

**MW:** 161.8 kDa

**Gene Summary:** The A-kinase anchor proteins (AKAPs) are a group of structurally diverse proteins which have the common function of binding to the regulatory subunit of protein kinase A (PKA) and confining the holoenzyme to discrete locations within the cell. This gene encodes a member of the AKAP family. Alternative splicing of this gene results in multiple transcript variants encoding different isoforms containing c-terminal dbl oncogene homology (DH) and pleckstrin homology (PH) domains. The DH domain is associated with guanine nucleotide exchange activation for the Rho/Rac family of small GTP binding proteins, resulting in the conversion of the inactive GTPase to the active form capable of transducing signals. The PH domain has multiple functions. Therefore, these isoforms function as scaffolding proteins to coordinate a Rho signaling pathway, function as protein kinase A-anchoring proteins and, in addition, enhance ligand-dependent activity of estrogen receptors alpha and beta. [provided by RefSeq, Jul 2012]

Transcript Variant: This variant (4) represents the use of an alternate promoter and has multiple differences in the 5' UTR and coding region, as compared to variant 1. The resulting protein (isoform 4) uses a distinct start codon and has a shorter N-terminus but identical C-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.