

## **Product datasheet for SC333080**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Dysbindin (DTNBP1) (NM\_001271667) Human Untagged Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: Dysbindin (DTNBP1) (NM 001271667) Human Untagged Clone

Tag: Tag Free
Symbol: Dysbindin

Synonyms: BLOC1S8; DBND; HPS7; My031; SDY

**Vector:** pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC333080 representing NM\_001271667.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

 ${\sf TCACACACTGACAGAGAGGCCACTCCGGATGGTGAGGACAGCGACTCT}_{{\sf AA}}$ 

Restriction Sites: Sgfl-Mlul

**ACCN:** NM\_001271667

**Insert Size:** 813 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** NM 001271667.1

RefSeq Size: 1469 bp
RefSeq ORF: 813 bp
Locus ID: 84062
UniProt ID: Q96EV8
Cytogenetics: 6p22.3

**Protein Families:** Druggable Genome

MW: 30.4 kDa

**Gene Summary:** This gene encodes a protein that may play a role in organelle biogenesis associated with

melanosomes, platelet dense granules, and lysosomes. A similar protein in mouse is a component of a protein complex termed biogenesis of lysosome-related organelles complex 1 (BLOC-1), and binds to alpha- and beta-dystrobrevins, which are components of the dystrophin-associated protein complex (DPC). Mutations in this gene are associated with Hermansky-Pudlak syndrome type 7. This gene may also be associated with schizophrenia.

Multiple transcript variants encoding distinct isoforms have been identified for this gene.

[provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) contains an alternate splice site in the 5' coding region and is predicted to use a downstream start codon, compared to variant 1. The resulting isoform (c) has a shorter N-terminus than isoform a. This variant and protein are described by Talbot et

al. (PMID:21390302).