

Product datasheet for SC333176

STK25 (NM 001271979) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: STK25 (NM_001271979) Human Untagged Clone

Tag: Tag Free
Symbol: STK25

Synonyms: SOK1; YSK1

Vector: pCMV6-Entry (PS100001)

Fully Sequenced ORF: >SC333176 representing NM_001271979.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

ACATCCACCCGCTGA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001271979

Insert Size: 1050 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



STK25 (NM_001271979) Human Untagged Clone - SC333176

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001271979.1</u>

 RefSeq Size:
 2358 bp

 RefSeq ORF:
 1050 bp

 Locus ID:
 10494

 UniProt ID:
 000506

 Cytogenetics:
 2q37.3

Protein Families: Druggable Genome, Protein Kinase

MW: 39.3 kDa

Gene Summary: This gene encodes a member of the germinal centre kinase III (GCK III) subfamily of the sterile

20 superfamily of kinases. The encoded enzyme plays a role in serine-threonine liver kinase B1 (LKB1) signaling pathway to regulate neuronal polarization and morphology of the Golgi apparatus. The protein is translocated from the Golgi apparatus to the nucleus in response to chemical anoxia and plays a role in regulation of cell death. A pseudogene associated with this gene is located on chromosome 18. Multiple alternatively spliced transcript variants have

been observed for this gene. [provided by RefSeq, Dec 2012]

Transcript Variant: This variant (8) lacks an alternate in-frame exon in the 5' coding region

compared to variant 1. Variants 8 and 9 encode the same isoform (2).