

Product datasheet for **SC333263**

PAK6 (NM_001276717) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PAK6 (NM_001276717) Human Untagged Clone
Tag:	Tag Free
Symbol:	PAK6
Synonyms:	PAK5
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC333263 representing NM_001276717.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGTTCCGCAAGAAAAAGAAGAAACGCCCTGAGATCTCAGCGCCACAGAAGCTCCAGCACCGTGTCCAC
ACCTCCTTCGACCCCAAGAAGGCAAGTTTGTGGGCTCCCCCAATGGCAGAATCCTGGACACA
CTGCGGGCCCCAAGCCCGTGGTGGACCTTCGGAATCACACGGGTGCAGCTCCAGCCATGAAGACA
GTGGTCGGGGCAGCGCGATGCCGTGGATGGCTACATCTCGGGGCTGCTCAACGACATCCAGAAGTTG
TCAGTCATCAGCTCCAACACCCTGCGTGGCCGACGCCACCAGCCGGCGGGCAGTCCCTGGGG
CTGCTGGGGATGAGCACTGGGCCACCGACCCAGACATGTACCTCCAGAGCCCCAGTCTGAGCGCACT
GACCCCAACGGCCTCTACCTCAGCTGCAACGGGGCAGACACAGCAGGCCACAAGCAGATGCCGTGGCC
GAGCCACAGAGCCACGGGTCTGCCAATGGGCTGGCTGCAAAGGCACAGTCCCTGGGCCCCGCCGAG
TTTCAGGGTGCTCGCAGCGCTGTCTGCAGCTGGGTGCCCTGCCTGCAGAGCTCCCCACCAGGAGCCTCG
CCCCCACGGGCACCAATAGGCATGGAATGAAGGCTGCCAAGCATGGCTCTGAGGAGGCCGGCCACAG
TCCTGCCTGGTGGCTCAGCCACAGGCAGGCCAGGTGGGAAGGCAGCCCTAGCCCTAAGACCCGGGAG
AGCAGCCTGAAGCGCAGGCTATTCGAAGCATGTTCTGTCCACTGCTGCCACAGCCCTCCAAGCAGC
AGCAAGCCAGGCCCTCCACCACAGAGCAAGCCAACTCCTCTTTCCGACCGCCGAGAAAGACAACCCC
CCAAGCCTGGTGGCCAAGGCCAGTCTTGGCCTCGGACCAGCCGGTGGGGACCTTCAGCCCTTGACC
ACTTCGGATACCAGCAGCCCCAGAAGTCCCTCCGCACAGCCCCGGCCACAGGCCAGTTCCAGGCCGG
TCTTCCCAGCGGGATCCCCCGCACCTGGCACGCCAGATCAGCACCAGCAACCTGTACCTGCCCCAG
GACCCACGGTTGCCAAGGGTGCCTGGCTGGTGGAGACACAGGTGTTGTGACACATGAGCAGTTCAAG
GCTGCGCTCAGGATGGTGGTGGACCAGGGTGACCCCGGCTGCTGCTGGACAGCTACGTGAAGATTGGC
GAGGGCTCCACCGCATCGTCTGCTTGGCCGGGAGAAGCACTCGGGCCGCCAGGTGGCCGTCAAGATG
ATGGACTCAGGAAGCAGCAGCGCAGGGAGCTGCTTTCAACGAGGTGGTATCATGCGGGACTACCAG
CACTTCAACGTGGTGGAGATGTACAAGAGCTACCTGGTGGCGAGGAGCTGTGGGTGCTCATGGAGTTC
CTGCAGGGAGGACCCCTCACAGACATCGTCTCCCAAGTCAGGCTGAATGAGGAGCAGATTGCCACTGTG
TGTGAGGCTGTGCTGCAGGCCCTGGCCTACCTGCATGCTCAGGGTGCATCCACCGGGACATCAAGAGT
GACTCCATCCTGCTGACCCTCGATGGCAGGGTGAAGCTCTCGGACTTCGGATTCTGTGCTCAGATCAGC
AAAGACGTCCCTAAGAGGAAGTCCCTGGTGGGAACCCCTACTGGATGGCTCCTGAAGTATCTCCAGG
TCTTTGTATGCCACTGAGGTGGATATCTGGTCTCTGGGCATCATGGTATTGAGATGGTAGAGGGGAG
CCACCGTACTTCAGTGACTCCCCAGTGAAGCCATGAAGAGGCTCCGGGACAGCCCCCACCAGCTG
AAAACTCTACAAGGTCTCCCCAGTGTGCGAGACTTCTGGAGCGGATGCTGGTGGGGACCCCAA
GAGAGAGCCACAGCCAGGAGCTCTAGACCACCCTTCTGCTGCAGACAGGGTACTCTGAGTGCCTG
GTGCCCTGATCCAGCTTACCGAAAGCAGACCTCCACCTGCTGA
  
```

Restriction Sites: Sgfl-MluI

ACCN: NM_001276717

Insert Size: 2046 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001276717.1</u>
RefSeq Size:	2558 bp
RefSeq ORF:	2046 bp
Locus ID:	56924
UniProt ID:	<u>Q9NQU5</u>
Cytogenetics:	15q15.1
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	Axon guidance, ErbB signaling pathway, Focal adhesion, Regulation of actin cytoskeleton, Renal cell carcinoma, T cell receptor signaling pathway
MW:	74.9 kDa
Gene Summary:	<p>This gene encodes a member of a family of p21-stimulated serine/threonine protein kinases, which contain an amino-terminal Cdc42/Rac interactive binding (CRIB) domain and a carboxyl-terminal kinase domain. These kinases function in a number of cellular processes, including cytoskeleton rearrangement, apoptosis, and the mitogen-activated protein (MAP) kinase signaling pathway. The protein encoded by this gene interacts with androgen receptor (AR) and translocates to the nucleus, where it is involved in transcriptional regulation. Changes in expression of this gene have been linked to prostate cancer. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2015]</p> <p>Transcript Variant: This variant (4) differs in the 5' UTR and the 3' UTR, compared to variant 1. Variants 1 and 4 encode the same isoform (1).</p>