

Product datasheet for **SC333293**

CHD1L (NM_024568) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CHD1L (NM_024568) Human Untagged Clone
Tag:	Tag Free
Symbol:	CHD1L
Synonyms:	ALC1; CHDL
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC333293 representing NM_024568.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGCAGAGATTTGCTCCAGGTCTTTCTGTGTAACATATGCAGGCGACAAGGAGGAAAGAGCCTGCCTT
CAGCAAGACCTGAAACAGGAGTCACGTTTTTCATGTGCTACTGACTACCTATGAGATTTGCTTGAAGAT
GCATCATTCTAAAATCATTCCCTTGGAGTGTCTTGTGTGGATGAAGCTCACAGGTTGAAAAACCAA
AGCTCCCTGCTGCATAAGACCTTGTGAGAGTTCTCAGTAGTCTTCACTCTCTGTTGACCGGAACCTCC
ATCCAGAACAGCCTCCAAGAGCTCTACTCCCTCCTCAGTTTTGTGGAGCCTGATCTCTTTTCCAAGGAA
GAGGTGGGAGATTTTATTCAACGCTACCAGGATATTGAGAAAGAATCTGAGTCAGCAAGTGAAGTGCAC
AAACTCTTGACGCCATTTCTGCTGAGGCGAGTGAAGCTGAGGTAGCTACAGAGCTTCCAAGAAGACA
GAAGTAGTGATATACCATGGCATGTGAGCATTGCAGAAGAAATACTACAAGGCCATTTTGTGAAAGAC
CTAGATGCATTTGAAAATGAGACGGCAAAGAAAGTTAAACTACAGAACATTTTGTCCAGCTTCGAAAG
TGTGTGGATCACCATATTTGTTGATGGTGTGGAGCCGAGCCTTTGAAGTTGGAGACCACCTGACT
GAGGCTAGTGGGAAGCTCACCTGCTGGATAAGCTACTAGCATTCTGTATTCTGGGGCCATCGGGTT
TTACTTTTCTCCAAATGACCCAGATGTTGGATATTCTCCAAGACTATATGGATTACAGAGGCTACAGC
TATGAGCGTGTGGATGGTTCTGTGAGAGGAGAAGAGAGACACTTGGCCATTAAGAAGCTTTGGACAGCAG
CCCATTTTCGTTTTTCTCCTGAGTACTAGGCGAGGTGGAGTTGGCATGAAGTAAACAGCAGCAGATACT
GTGATTTTTGTTGACAGTGACTTTAATCCTCAGAATGACTTGCAAGCAGCTGCCAGGGCTCATCGCATT
GGCCAAAACAAGTCTGTTAAAGTTATTCGGCTGATTGGTGCAGACACTGTGGAAGAAATAGTCTATAGG
AAAGCAGCCTCCAACTGCAGCTCACCAACATGATCATAGAAGGAGGCCATTTTACTCTGGGAGCCAG
AAACCCGCTGCCGATGCTGACCTCCAGTTGAGTGAGATACTCAAATTTGGTTTGGATAAACTGCTGGCC
TCTGAGGGGAGCACCATGGATGAAATAGACCTGGAGTCCATCCTGGGAGAAACAAAAGATGGCCAGTGG
GTCTCTGATGCCTTGCTGCAGCAGAAGGAGGGAGCAGAGATCAAGAGGAAGGAAAAATCATATGTAC
TTATTTGAAGGTAAGATTATTCTAAAGAGCCCGTAAGGAAGACAGAAAATCATTGAACAAGTGGTA
AACCTTCAGAAAACCTTTTGGAGAAAGCTAGTCAAGAGGGCCGATCACTCCGAAATAAAGGCAAGTGT
CTCATCCAGGCCTTGTGGAGGGATCTACCAAAAAGGAAGCGGGTCTGAGTCCAGAAGAGCTGGAGGAC
AGACAGAAGAAAAGACAAGAAGCAGCTGCCAAGAGAAGGAGACTCATAGAGGAGAAGAAGAGGCAAAAAG
GAAGAGGCTGAACATAAGAAAAAGATGGCCTGGTGGGAATCCAACAATTACCAGTCTTCTGCCTGCC
TCTGAGGAGAGCGAGCCAGAGGACCTTGAGAATGGGAAGAGAGCTCTGCTGAGCTGGATTACCAAGAC
CCAGATGCTACTCCCTCAAGTACGTTAGTGGTATGTCACCCACCTCAGGCTGGGGCCGAGGATGCT
CTCATTGTGCACTGCGTAGATGACTCTGGCCACTGGGGCAGAGGTGGTTATTTACAGCTCTGAAAAG
CGATCCGCTGAGCCAAGAAAAATATATGAGCTGGCTGGGAAAATGAAAGACCTGAGTTTGGGAGGTGC
CTTTATTTCTGTTGATGATAAAGAATCAAGAAACAAAGGGCAAGATTTGTTGGCCTTGATTGTGGCT
CAGCATCGTGATCGTTCCAATGCTCTGTCTGGCATTAAAGATGGCAGCCCTAGAAGAGGGCCTGAAGAAG
ATATTTTAGCAGCAAAAAGAAGAAAGCAAGTGTTCATCTTCCACGATTGGACATGCCACGAAAGGT
TTAACTGGTATGGTACTGAGCGACTTATTCGAAACATCTGGCTGCAAGAGGCATCCCAACTTACATA
TATTATTTCTAGAAGCAAGTCTGCTGTCTTCATTACAGTCTTCATCTTCTCCTCAAGACAGCTG
GTGCTTAA
  
```

Restriction Sites: SgfI-MluI

ACCN: NM_024568

Insert Size: 2355 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_024568.2](#)

RefSeq Size: 3008 bp

RefSeq ORF: 2355 bp

Locus ID: 9557

UniProt ID: [Q86WJ1](#)

Cytogenetics: 1q21.1

Domains: SNF2_N, helicase_C

MW: 88.4 kDa

Gene Summary: This gene encodes a DNA helicase protein involved in DNA repair. The protein converts ATP to add poly(ADP-ribose) as it regulates chromatin relaxation following DNA damage. Overexpression of this gene has been linked to several types of cancers. [provided by RefSeq, Feb 2017]

Transcript Variant: This variant (3) uses a different splice site in the 5' coding region which results in translation from a downstream start codon, compared to variant 1. The resulting protein (isoform 3) is shorter when it is compared to isoform 1. Variants 3 and 9 both encode the same isoform (3). Sequence Note: The RefSeq transcript and protein were derived from genomic sequence to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on alignments.