

Product datasheet for **SC333295**

TAOK1 (NM_025142) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TAOK1 (NM_025142) Human Untagged Clone
Tag:	Tag Free
Symbol:	TAOK1
Synonyms:	hKFC-B; hTAOK1; KFC-B; MAP3K16; MARKK; PSK-2; PSK2; TAO1
Vector:	pCMV6-Entry (PS100001)



[View online »](#)

Fully Sequenced ORF: >SC333295 representing NM_025142.
 Blue=Insert sequence Red=Cloning site Green=Tag(s)

```

ATGCCATCAACTAACAGAGCAGGCAGCCTGAAGGACCCTGAAATTGCAGAGCTCTTCTTCAAAGAAGAT
CCAGAGAAGCTCTTCACAGATCTCAGAGAAATTGGCCATGGAAGCTTTGGAGCAGTGTATTTTGCACGA
GATGTGCGTACCAATGAAGTGGTGGCCATCAAGAAAATGTCTTATAGTGGAAAGCAGTCTACTGAGAAA
TGGCAGGATATTATTAAGGAAGTCAAGTTTCTACAAAAGAATAAAACATCCCAACAGTATAGAATACAAA
GGCTGTTATTTACGTGAACACACAGCATGGCTTGAATGGAATATTGTTTAGGATCTGCTTCGGATTTA
CTAGAAGTTCACAAAAAGCCATTACAAGAAGTGGAAATAGCAGCAATTACACATGGTGCTCTTCAGGGA
TTAGCCTACTTACATTCTCATACTATGATTCATAGAGATATCAAAGCAGGAAATATCCTTCTGACAGAA
CCAGGCCAGGTGAAACTTGCTGACTTTGGCTCTGCTTCCATGGCATCACCTGCCAATTCCTTTGTGGGA
ACGCCGTATTGGATGGCCCCAGAAGTAATTTAGCCATGGATGAAGGACAATATGATGGCAAAGTAGAT
GTGTGGTCTCTTGAATAACATGTATTGAACTAGCGGAAAGGAAGCCTCCTTTATTTAATATGAATGCA
ATGAGTGCCTTATACATAGCCAAAATGAATCCCCTACACTACAGTCTAATGAATGGTCTGATTAT
TTTCGCAACTTTGTAGATTCTTGCTCCAGAAAATCCCCTCAAGATCGACCTACATCAGAGGAACTTTTA
AAGCACATATTTGTTCTTCGGGAGCGCCCTGAAACCGTGTAAATAGATCTCATTAGAGGACAAAAGGAT
GCAGTAAGAGAGCTGGACAATCTGCAGTATCGAAAGATGAAGAACTCCTTTTCCAGGAGGCACATAAT
GGACCAGCAGTAGAAGCACAGGAAGAAGAAGAGGAAACAAGATCATGGTGTGGCCGGACAGGAACAGTT
AATAGTGTGGAAAGTAATCAATCCATCCCAGCATGTCCATCAGTGCCAGCAGCCAAAGCAGTAGTGT
AACAGTCTTCAGATGTCTCAGATGACAAGAGTGAAGTACATGATGGAGGGAGACCACACAGTGTAG
TCTAACAGTCTGTTATCCATTTAAAACAGAGGAAGAAAATTACAGAGAAGAGGGAGATCCTAGAACA
AGAGCATCAGATCCACAATCTCCACCCCAAGTATCTCGTCACAAATCACACTATCGTAATCGAGAACAC
TTTGCTACTATACGGACAGCATCACTGGTTACGAGGCAAATGCAAGAACATGAGCAGGACTCTGAGCTT
AGAGAACAATGTCTGGCTATAAGCGAATGAGGCGACAACATCAAAGCAACTGATGACTCTGGAAAAC
AAGCTAAAGGCTGAGATGGATGAACATCGCCTCAGATTAGACAAAAGATCTTGAAACTCAGCGTAACAAT
TTTGCTGCAGAAATGGAGAACTTATCAAGAAACACCAGGCTGCCATGGAGAAAGAGGCTAAAGTGTAG
TCCAATGAAGAGAAAAAATTCAGCAACATATTCAGGCCAACAGAAAGAAAGAACTGAATAGTTTTCTC
GAGTCCCAGAAAAGAGAGTATAAACTTCGAAAAGAGCAGCTTAAAGAGTCTAAAGAACTCCAAATAAAA
AAGCAGTTTCAGGATACCTGCAAAATCCAAACCAGACAGTACAAAGCATTAAAGAAATCACCTGCTGGAG
ACTACACCAAAGAGTGAGCACAAGCTGTTCTGAAACGGCTCAAGGAGGAACAGACCCGAAATTAGCT
ATCTTGGCTGAGCAGTATGATCACAGCATTAAATGAAATGCTCTCCACACAAGCCCTGCGTTTGGATGAA
GCACAGGAAGCAGAGTGCCAGGTTTTGAAGATGCAGCTGCAGCAGGAACCTGGAGCTGTTGAATGCGTAT
CAGAGCAAAATCAAGATGCAAGCTGAGGCACAACATGATCGAGAGCTTCGCGAGCTTGAACAGAGGGTC
TCCCTCCGGAGGGCACTTTAGAACAAAAGATTGAAGAAGAGATGTTGGCTTTGCAGAAATGAGCGCACA
GAACGAATACGAAGCCTGTTGGAACGTCAAGCCAGAGAGATTGAAGCTTTTACTCTGAAAGCATGAGA
CTAGGTTTTAGTAATATGGTCTTTCTAATCTCTCCCCTGAGGCATTAGCCACAGCTACCCGGGAGCT
TCTGGTTGGTACACAACCCTACTGGGGTCCAGGACCTCACTGGGGTCAATCCATGGGTGGCCACCA
CAAGCTTGGGGCCATCCAATGCAAGGTGGACCCAGCCATGGGGTCACTTCAAGGGCAATGCAAGGG
GTACCTCGAGGTAGCAGTATGGGAGTCCGCAATAGCCCCAGGCTCTGAGGCGGACAGCTTCTGGGGGA
CGGACGGAGCAGGGCATGAGCAGAAGCAGAGTGCACCTCACAAATATCCAATGGGTACACATGTCT
TATACATAA
  
```

Restriction Sites: SgfI-MluI
ACCN: NM_025142
Insert Size: 2562 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_025142.1
RefSeq Size:	11652 bp
RefSeq ORF:	2562 bp
Locus ID:	57551
UniProt ID:	Q7L7X3
Cytogenetics:	17q11.2
Protein Families:	Druggable Genome, Protein Kinase
Protein Pathways:	MAPK signaling pathway
MW:	97.5 kDa
Gene Summary:	<p>Serine/threonine-protein kinase involved in various processes such as p38/MAPK14 stress-activated MAPK cascade, DNA damage response and regulation of cytoskeleton stability. Phosphorylates MAP2K3, MAP2K6 and MARK2. Acts as an activator of the p38/MAPK14 stress-activated MAPK cascade by mediating phosphorylation and subsequent activation of the upstream MAP2K3 and MAP2K6 kinases. Involved in G-protein coupled receptor signaling to p38/MAPK14. In response to DNA damage, involved in the G2/M transition DNA damage checkpoint by activating the p38/MAPK14 stress-activated MAPK cascade, probably by mediating phosphorylation of MAP2K3 and MAP2K6. Acts as a regulator of cytoskeleton stability by phosphorylating 'Thr-208' of MARK2, leading to activate MARK2 kinase activity and subsequent phosphorylation and detachment of MAPT/TAU from microtubules. Also acts as a regulator of apoptosis: regulates apoptotic morphological changes, including cell contraction, membrane blebbing and apoptotic bodies formation via activation of the MAPK8/JNK cascade.[UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (2) lacks an alternate in-frame segment compared to variant 1. The resulting isoform (2) has the same N- and C-termini but is shorter compared to isoform 1.</p> <p>Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>