

## **Product datasheet for SC333467**

MRPS18C (NM 001297769) Human Untagged Clone

## Product data:

**Product Type:** Expression Plasmids

**Product Name:** MRPS18C (NM\_001297769) Human Untagged Clone

Tag: Tag Free
Symbol: MRPS18C

**Synonyms:** CGI-134; MRP-S18-1; MRP-S18-c; MRPS18-1; mrps18-c; S18mt-c

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333467 representing NM\_001297769.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGGCCGCTGTGGTTGCTGTTTGCGGTGGTCTAGGGAGGAAGAAGTTGACACACTTTGGTAACGGCTGCT GTCAGCCTTACACATCCCGGGACTCACACGGTGCTTTGGAGAAGAGGTTGTTCACAACAGGTATCCAGC AATGAGGACCTGCCCATTTCAATGGAAAATCCTTATAAAGAACCTCTTAAGAAATGTATCTTGTGTGGA AAGCATGTAGATTATAAGAATGTACAGGTCTTTGTGGGAAGAAACAGAAAAGCAAATTA

AGAGAGCTCAAATAA

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## Plasmid Map:



**ACCN:** NM\_001297769

**Insert Size:** 291 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



**RefSeq:** NM 001297769.1

 RefSeq Size:
 1043 bp

 RefSeq ORF:
 291 bp

 Locus ID:
 51023

 UniProt ID:
 Q9Y3D5

 Cytogenetics:
 4q21.23

 MW:
 10.7 kDa

Gene Summary: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in

protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 28S subunit protein that belongs to the ribosomal protein S18P family. The encoded protein is one of three that has significant sequence similarity to bacterial S18 proteins. The primary sequences of the three human mitochondrial S18 proteins are no more closely related to each other than they are to the prokaryotic S18 proteins. Pseudogenes corresponding to this gene are found on chromosomes 8p, 12p, 15q, and 22q. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) lacks an exon in the central coding region, which leads to a frameshift, compared to variant 1. The encoded isoform (3) has a shorter and distinct C-

terminus.