

Product datasheet for **SC333471**

FKBP12 (FKBP1A) (NM_001199786) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FKBP12 (FKBP1A) (NM_001199786) Human Untagged Clone
Tag:	Tag Free
Symbol:	FKBP1A
Synonyms:	FKBP-1A; FKBP-12; FKBP1; FKBP12; PKC12; PKC12; PPIASE
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333471 representing NM_001199786. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGGAGTGCAGGTGAAACCATCTCCCCAGGAGACGGGCGCACCTTCCCCAAGCGCGGCCAGACCTGC
GTGGTGCCTACACCGATGAGTGTGGGTCAGAGAGCCAACTGACTATATCTCCAGATTATGCCTATGG
TGCCACTGGGCACCCAGGCATCATCCCACCACATGCCACTCTCGTCTTCGATGTGGAGCTTCTAAAAC
GGAATGACAGGAATGGCCTCCTCCCTTAGCTCCCTGTTCTGGATCTGCCATGGAGGGATCTGGTGCCT
CCAGACATGTGCACATGA
ACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGCGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:



ACCN: NM_001199786

Insert Size: 294 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001199786.1](#)

RefSeq Size: 1530 bp

RefSeq ORF: 294 bp

Locus ID: 2280

Cytogenetics: 20p13

Protein Families: Druggable Genome

MW: 10.8 kDa

Gene Summary: The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. The protein is a cis-trans prolyl isomerase that binds the immunosuppressants FK506 and rapamycin. It interacts with several intracellular signal transduction proteins including type I TGF-beta receptor. It also interacts with multiple intracellular calcium release channels, and coordinates multi-protein complex formation of the tetrameric skeletal muscle ryanodine receptor. In mouse, deletion of this homologous gene causes congenital heart disorder known as noncompaction of left ventricular myocardium. Multiple alternatively spliced variants, encoding the same protein, have been identified. The human genome contains five pseudogenes related to this gene, at least one of which is transcribed. [provided by RefSeq, Sep 2008]

Transcript Variant: This variant (3) lacks an exon in the coding region, which results in a frameshift compared to variant 1. The encoded isoform (b) is shorter and has a distinct C-terminus, compared to isoform a.