

Product datasheet for **SC333473**

NDUFB6 (NM_001199987) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	NDUFB6 (NM_001199987) Human Untagged Clone
Tag:	Tag Free
Symbol:	NDUFB6
Synonyms:	B17; CI
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333473 representing NM_001199987. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGACGGGTACTCCGGATGAGAACTGCGGCTGCAGCAGCTGCGAGAGCTGAGAAGGCGATGGCTG
AAGGACCAGGAGCTGAGCCCTCGGGAGCCGGTGTGCCCCACAGAAGATGGGCCTATGGAGAAATTC
TGAATAAATTTTGGAGAATAAATCCCCTTGGAGGAAAATGGAAAACCATATGGCATAGTTGAAAAG
AAGTCCAGAATATCCCTGGTGATAAATCTGGAGACTGGAGAAGTAATCCACCAATGAAGAATTT
CCTGATCAACATCATTAA
ACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:


ACCN: NM_001199987

Insert Size: 294 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	<u>NM_001199987.1</u>
RefSeq Size:	780 bp
RefSeq ORF:	294 bp
Locus ID:	4712
Cytogenetics:	9p21.1
Protein Families:	Transmembrane
Protein Pathways:	Alzheimer's disease, Huntington's disease, Metabolic pathways, Oxidative phosphorylation, Parkinson's disease
MW:	11.7 kDa
Gene Summary:	<p>The protein encoded by this gene is a subunit of the multisubunit NADH:ubiquinone oxidoreductase (complex I). Mammalian complex I is composed of 45 different subunits. It locates at the mitochondrial inner membrane. This protein has NADH dehydrogenase activity and oxidoreductase activity. It transfers electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone. Alternative splicing occurs at this locus and three transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Jan 2011]</p> <p>Transcript Variant: This variant (3) lacks an alternate in-frame exon compared to variant 1. The resulting isoform (3) has the same N- and C-termini but is shorter compared to isoform 1.</p>