

# **Product datasheet for SC333512**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# RAG1AP1 (SLC50A1) (NM\_001287592) Human Untagged Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: RAG1AP1 (SLC50A1) (NM\_001287592) Human Untagged Clone

Tag: Tag Free Symbol: SLC50A1

**Synonyms:** HsSWEET1; RAG1AP1; SCP; slv; SWEET1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333512 representing NM\_001287592.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGATCCAAGGGCTCGGACCTCAGGCACATGCGAATGACCCGGAGTGTGGACAACGTCCAGTTCCTGCC CTTTCTCACCACGGAAGTCAAGCTAAGGTGATTCAAACTAAACTCAACCCAATGTCTCCTACCCACTC ACCATTGCTACCCTCTGCCTCCTGGTGCCTCTATGGGTTTCGACTCAGAGATCCCTATATC ATGGTGTCCAACTTTCCAGGAATCGTCACCAGCTTTATCCGCTTCTGGCTTTTCTGGAAGTACCCCCAG

GAGCAAGACAGGAACTACTGGCTCCTGCAAACCTGA


**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul



#### Plasmid Map:



**ACCN:** NM\_001287592

**Insert Size:** 312 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



## RAG1AP1 (SLC50A1) (NM\_001287592) Human Untagged Clone - SC333512

**RefSeq:** NM 001287592.1

RefSeq Size: 1152 bp
RefSeq ORF: 312 bp
Locus ID: 55974
UniProt ID: Q9BRV3
Cytogenetics: 1q22

**Protein Families:** Transmembrane

**MW:** 11.8 kDa

Gene Summary: Mediates sugar transport across membranes. May stimulate V(D)J recombination by the

activation of RAG1.[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (10) uses an alternate first exon and lacks two alternate consecutive exons compared to variant 1, that causes a frameshift. The resulting isoform (j)

has a shorter and distinct N-terminus compared to isoform a.