

Product datasheet for SC333513

SPINK2 (NM 001271719) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: SPINK2 (NM_001271719) Human Untagged Clone

Tag: Tag Free Symbol: SPINK2

Synonyms: HUSI-II; SPGF29

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333513 representing NM_001271719.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TGTCCACTTATGCCAATGAATGTACTCTGTGCATGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001271719

Insert Size: 312 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



SPINK2 (NM_001271719) Human Untagged Clone - SC333513

RefSeq: <u>NM 001271719.1</u>

RefSeq Size: 746 bp
RefSeq ORF: 312 bp
Locus ID: 6691
Cytogenetics: 4q12

Protein Families: Secreted Protein, Transmembrane

MW: 10.3 kDa

Gene Summary: This gene encodes a member of the family of serine protease inhibitors of the Kazal type

(SPINK). The encoded protein acts as a trypsin and acrosin inhibitor in the genital tract and is localized in the spermatozoa. The protein has been associated with the progression of lymphomas. Alternative splicing results in multiple transcript variants. [provided by RefSeq,

Nov 2012]

Transcript Variant: This variant (3) uses an alternate splice site in the 5' coding region which results in a frameshift and an early stop codon, compared to variant 1. It encodes isoform 3

which has a distinct C-terminus and is shorter than isoform 1.