

Product datasheet for **SC333563**

PEA15 (NM_001297578) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PEA15 (NM_001297578) Human Untagged Clone
Tag:	Tag Free
Symbol:	PEA15
Synonyms:	HMAT1; HUMMAT1H; MAT1; MAT1H; PEA-15; PED; PED-PEA15; PED/PEA15
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333563 representing NM_001297578. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGCTGAGTACGGGACCCTCTGCAAGACCTGACCAACAACATCACCTTGAAGATCTAGAACAGCTC
AAGTCGGCCTGCAAGGAAGACATCCCCAGCGAAAAGAACAACCTCTCTACATTGAGCACATCTTTGAG
ATCTCCCCTGCTGACCTACTACTATGGTGGTTGACTACAGAACCCGTGTGCTGAAGATCTCTGAG
GAGGATGAGCTGGACCAAGCTAACCCGTATCCCCAGTGCCAAGAAGTACAAAGACATTATCCGGCAG
CCCTCTGAGGAAGAGATCATCAAATTGGCTCCCCACCGAAGAAGGCTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001297578

Insert Size: 327 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq:	NM_001297578.1
RefSeq Size:	2443 bp
RefSeq ORF:	327 bp
Locus ID:	8682
UniProt ID:	Q15121
Cytogenetics:	1q23.2
Protein Families:	Druggable Genome
MW:	12.5 kDa
Gene Summary:	<p>This gene encodes a death effector domain-containing protein that functions as a negative regulator of apoptosis. The encoded protein is an endogenous substrate for protein kinase C. This protein is also overexpressed in type 2 diabetes mellitus, where it may contribute to insulin resistance in glucose uptake. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014]</p> <p>Transcript Variant: This variant (4) lacks two alternate exons and uses an alternate in-frame splice site in the 5' region, compared to variant 1. It initiates translation at a downstream in-frame start codon. The encoded isoform (c) is shorter than isoform a.</p>