

Product datasheet for SC333604

CNIH4 (NM 001277198) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: CNIH4 (NM_001277198) Human Untagged Clone

Tag: Tag Free Symbol: CNIH4

Synonyms: CNIH-4; CNIH2; HSPC163

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333604 representing NM_001277198.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001277198

Insert Size: 345 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001277198.1</u>



CNIH4 (NM_001277198) Human Untagged Clone - SC333604

RefSeq Size: 1590 bp
RefSeq ORF: 345 bp
Locus ID: 29097
Cytogenetics: 1q42.11

Protein Families: Transmembrane

MW: 13.1 kDa

Gene Summary: Involved in G protein-coupled receptors (GPCRs) trafficking from the endoplasmic reticulum

to the cell surface; it promotes the exit of GPCRs from the early secretory pathway, likely through interaction with the COPII machinery (PubMed:24405750).[UniProtKB/Swiss-Prot

Function]

Transcript Variant: This variant (3) uses an alternate 5' splice junction in a 3' exon compared to variant 1, that causes a frameshift. The resulting isoform (3) has a shorter and distinct C-

terminus compared to isoform 1.