

Product datasheet for **SC333653**

NKAIN2 (NM_001300738) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NKAIN2 (NM_001300738) Human Untagged Clone
Tag:	Tag Free
Symbol:	NKAIN2
Synonyms:	FAM77B; NKAIP2; TCBA; TCBA1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333653 representing NM_001300738. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGAACAGACCTTATCCTGACTTTTAAATATATCAATGCACCGATCTTGGTGGATGGAGAATGGACCA
GGATGTACGGTGACGTCAGTGACACCTGCCCCAGACTGGGCCCCAGAAGACCATCGCTACATCACGGTC
TCAGGGTGTGGTGGAGTACCAGTACATAGAAGTGGCTCATAGTTCCCTCCAGATTGCCTCGCACTG
GCAGGTTTCATCTACGCCTGTTATGTTGTGAAATGTATAACTGAAGAAGAGGACAGCTTTGATTTCATA
GGTGGCTTTGACTCTTATGGCTATCAAGGGCTCAGAAGACATCTCATTTACAACCTACAGCCTATGTAC
ATGTCAAAATAA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001300738

Insert Size: 357 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001300738.1](#)

RefSeq Size: 3407 bp

RefSeq ORF: 357 bp

Locus ID: 154215

UniProt ID: [Q5VXU1](#)

Cytogenetics: 6q22.31

Protein Families: Transmembrane

MW: 13.4 kDa

Gene Summary: This gene encodes a transmembrane protein that interacts with the beta subunit of a sodium/potassium-transporting ATPase. A chromosomal translocation involving this gene is a cause of lymphoma. Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2014]

Transcript Variant: This variant (4) has an alternate exon in its 5' end compared to variant 1. This variant represents translation initiation at a downstream AUG compared to variant 1; the 5'-most initiation codon, as used in variant 1, is associated with a truncated ORF that would render the transcript a candidate for nonsense-mediated decay (NMD). Leaky scanning may allow translation initiation at the downstream AUG to encode an isoform (4) that has a shorter N-terminus, compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.