

## **Product datasheet for SC333694**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Glutathione S Transferase theta 1 (GSTT1) (NM 001293812) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** Glutathione S Transferase theta 1 (GSTT1) (NM\_001293812) Human Untagged Clone

Tag: Tag Free
Symbol: GSTT1

Mammalian Cell Neomycin

Selection:

•

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333694 representing NM\_001293812.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCCGCCGGGAATTCGTCGACTG

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TGGGTGCTGGCCATGATCCGGTGA

**ACGCGTACGCGGCCGCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT


TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul





## Plasmid Map:



**ACCN:** NM\_001293812

**Insert Size:** 369 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.



**RefSeq:** <u>NM 001293812.1</u>

 RefSeq Size:
 1048 bp

 RefSeq ORF:
 369 bp

 Locus ID:
 2952

 UniProt ID:
 P30711

 Cytogenetics:
 22q11.23

**Protein Pathways:** Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450

**MW:** 13.5 kDa

**Gene Summary:** The protein encoded by this gene, glutathione S-transferase (GST) theta 1 (GSTT1), is a

member of a superfamily of proteins that catalyze the conjugation of reduced glutathione to a variety of electrophilic and hydrophobic compounds. Human GSTs can be divided into five main classes: alpha, mu, pi, theta, and zeta. The theta class includes GSTT1, GSTT2, and GSTT2B. GSTT1 and GSTT2/GSTT2B share 55% amino acid sequence identity and may play a role in human carcinogenesis. The GSTT1 gene is haplotype-specific and is absent from 38% of the population. Alternative splicing of this gene results in multiple transcript variants.

[provided by RefSeq, Sep 2015]

Transcript Variant: This variant (7) uses an alternate splice site, resulting in an alternate 5' UTR and translation initiation at a downstream in-frame start codon, compared to variant 1. The encoded isoform (c) is shorter at the N-terminus, compared to isoform a. Variants 3, 4, 5, 6

and 7 all encode isoform c.