

## Product datasheet for **SC333757**

### CNOT8 (NM\_001301086) Human Untagged Clone

#### Product data:


Product Type:	Expression Plasmids
Product Name:	CNOT8 (NM_001301086) Human Untagged Clone
Tag:	Tag Free
Symbol:	CNOT8
Synonyms:	CAF1; Caf1b; CALIF; hCAF1; POP2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333757 representing NM_001301086. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGTAAAGTTGCTTACAGATTCTCGTTTGCCAGAAGAGGAACATGAATCCTTTCATATTCTGAACCTT
TTCTTCCCATCCATTTATGATGTGAAATACCTGATGAAGAGCTGCAAAAATCTTAAGGGAGGTCTTCAG
GAAGTTGCTGATCAGTTGGATTTCAGAGGATTGGAAGGCAGCACCAGGCAGGCTCAGACTCACTGCTG
ACAGGAATGGCTTTCTTTAGGATGAAAGAGTTGTTTTTTGAGGACAGCATTGATGATGCCAAGTACTGT
GGGCGGCTCTATGGCTTAGGCACAGGAGTGGCCAGAGCAGAATGAGGATGTGGACTCTGCCAGGAG
AAGATGAGCATCCTGGCGATTATCAACAACATGCAGCAGTGA
ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-MluI



[View online »](#)

**Plasmid Map:**


**ACCN:** NM\_001301086

**Insert Size:** 387 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001301086.1](#)

RefSeq Size:	2270 bp
RefSeq ORF:	387 bp
Locus ID:	9337
UniProt ID:	<a href="#">Q9UFF9</a>
Cytogenetics:	5q33.2
Protein Families:	Transcription Factors
Protein Pathways:	RNA degradation
MW:	14.7 kDa
Gene Summary:	<p>Has 3'-5' poly(A) exoribonuclease activity for synthetic poly(A) RNA substrate. Its function seems to be partially redundant with that of CNOT7. Catalytic component of the CCR4-NOT complex which is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. During miRNA-mediated repression the complex seems also to act as translational repressor during translational initiation. Additional complex functions may be a consequence of its influence on mRNA expression. Associates with members of the BTG family such as TOB1 and BTG2 and is required for their anti-proliferative activity. [UniProtKB/Swiss-Prot Function]</p> <p>Transcript Variant: This variant (9) has an alternate splice site and lacks two internal exons in the 5' region, which result in translation initiation at a downstream in-frame AUG, compared to variant 1. The resulting isoform (4) has a shorter N-terminus, compared to variant 1.</p>