

Product datasheet for **SC333766**

DHFR (NM_001290357) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DHFR (NM_001290357) Human Untagged Clone
Tag:	Tag Free
Symbol:	DHFR
Synonyms:	DHFRP1; DYR
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333766 representing NM_001290357. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGGTTGGTTCGCTAAACTGCATCGTCGCTGTGTCCAGAACATGGGCATCGGCAAGAACGGGGACCTG
CCCTGGCCACCGCTCAGGAATGAATTCAGATATTTCCAGAGAATGACCACAACCTCTTCAGTAGAAGGT
AAACAGAATCTGGTGATTATGGGTAAGAAGACCTGGTTCTCCATTCTGAGAAGAATCGACCTTTAAAG
GGTAGAATTAATTTAGTTCTCAGCAGAGAACTCAAGGAACCTCCACAAGGAGCTCATTTTCTTTCCAGA
AGTCTAGATGATGCCTTAAACTTACTGAACAACCAGAATTAGCAAATAAAGTAGACATGGTCTGGATA
GTTGGTGGCAGTTCTGTTTATAAGATACCCAGGTGTTCTCTTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-MluI



[View online »](#)

Plasmid Map:



ACCN: NM_001290357

Insert Size: 390 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001290357.1](#)

RefSeq Size:	3816 bp
RefSeq ORF:	390 bp
Locus ID:	1719
Cytogenetics:	5q14.1
Protein Families:	Druggable Genome, Stem cell - Pluripotency
Protein Pathways:	Folate biosynthesis, Metabolic pathways, One carbon pool by folate
MW:	14.5 kDa
Gene Summary:	<p>Dihydrofolate reductase converts dihydrofolate into tetrahydrofolate, a methyl group shuttle required for the de novo synthesis of purines, thymidylic acid, and certain amino acids. While the functional dihydrofolate reductase gene has been mapped to chromosome 5, multiple intronless processed pseudogenes or dihydrofolate reductase-like genes have been identified on separate chromosomes. Dihydrofolate reductase deficiency has been linked to megaloblastic anemia. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2014]</p> <p>Transcript Variant: This variant (3) lacks an alternate exon in the 3' end compared to variant 1, that causes a frameshift. The resulting isoform (3) has a shorter and distinct C-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.</p>