

Product datasheet for SC333767

TSPAN6 (NM 001278743) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: TSPAN6 (NM_001278743) Human Untagged Clone

Tag: Tag Free
Symbol: TSPAN6

Synonyms: T245; TM4SF6; TSPAN-6

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333767 representing NM_001278743.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

TGCCTCTCGTGCCATAACAAATAACCAGTATGAGATAGTG<mark>TAA
ACGCGTACGCGCCGCTC</mark>GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001278743

Insert Size: 390 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001278743.1</u>



TSPAN6 (NM_001278743) Human Untagged Clone - SC333767

 RefSeq Size:
 3811 bp

 RefSeq ORF:
 390 bp

 Locus ID:
 7105

 UniProt ID:
 043657

 Cytogenetics:
 Xq22.1

Protein Families: Transmembrane

MW: 15 kDa

Gene Summary: The protein encoded by this gene is a member of the transmembrane 4 superfamily, also

known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. The protein encoded by this gene is a cell surface glycoprotein and is highly similar in sequence to the transmembrane 4 superfamily member 2 protein. It functions as a negative regulator of retinoic acid-inducible gene I-like receptor-mediated immune signaling via its interaction with the mitochondrial antiviral signaling-centered signalosome. This gene uses alternative polyadenylation sites, and multiple transcript variants result from alternative

splicing. [provided by RefSeq, Jul 2013]

Transcript Variant: This variant (5) differs in its 5' UTR, lacks a portion of the 5' coding region, uses a downstream in-frame start codon, and lacks an alternate in-frame exon in the 3' coding region, compared to variant 1. The encoded isoform (d) is shorter at the N-terminus, compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.