

Product datasheet for **SC333797**

CREM (NM_001267565) Human Untagged Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CREM (NM_001267565) Human Untagged Clone
Tag:	Tag Free
Symbol:	CREM
Synonyms:	CREM-2; hCREM-2; ICER
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC333797 representing NM_001267565. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GTCGTTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGTGGTGGCATCAGCATAATCTATGTTTCAGGCGTCCTATAGAAGAGGATTATTCTTCAGGGGATGTG
GAAGAAAAGGCACAGTCTCGCTCTGTCCAGGCTGGAGTGGGTGGCATGATCTCAGCTCACTGCAA
CCTCGAACTCCTGGTTCAAGAAATTCATGCCTCAGCCTCATGAGTAGCTGGGATTACAGGAAAATA
CTGAATGAACTGTCTCTGATGTGCCTGGTGTCCCAAGATTGAAGAAGAGAGATCAGAGGAAGAAGGA
ACACCACCTAGTATTGCTACCATGGCAGTACCAACTAGCATATATCAGACTAGCACGGGGCAATACAGT
ATGTATGCTGCAATTCGATATGATACAGTGCTAGCTTTAAGTCTTCTCTAG
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:



ACCN: NM_001267565

Insert Size: 396 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001267565.1](#)

RefSeq Size:	1118 bp
RefSeq ORF:	396 bp
Locus ID:	1390
Cytogenetics:	10p11.21
Protein Families:	Druggable Genome, Transcription Factors
MW:	14.9 kDa

Gene Summary: This gene encodes a bZIP transcription factor that binds to the cAMP responsive element found in many viral and cellular promoters. It is an important component of cAMP-mediated signal transduction during the spermatogenetic cycle, as well as other complex processes. Alternative promoter and translation initiation site usage allows this gene to exert spatial and temporal specificity to cAMP responsiveness. Multiple alternatively spliced transcript variants encoding several different isoforms have been found for this gene, with some of them functioning as activators and some as repressors of transcription. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (26) lacks several exons and its transcription extends past a splice site that is used in variant 1, resulting in a novel 3' coding region and 3' UTR compared to variant 1. The resulting isoform (26) has distinct N- and C-termini compared to isoform 1.

Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.