

Product datasheet for SC333832

FRA1 (FOSL1) (NM 001300855) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: FRA1 (FOSL1) (NM_001300855) Human Untagged Clone

Tag: Tag Free
Symbol: FOSL1

Synonyms: FRA; fra-1; FRA1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333832 representing NM_001300855.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001300855

Insert Size: 408 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001300855.1</u>



FRA1 (FOSL1) (NM_001300855) Human Untagged Clone - SC333832

RefSeq Size: 1754 bp
RefSeq ORF: 408 bp
Locus ID: 8061
UniProt ID: P15407
Cytogenetics: 11q13.1

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Wnt signaling pathway

MW: 14.2 kDa

Gene Summary: The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes

encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. Several transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Jul 2014]

Transcript Variant: This variant (3) uses an alternate splice junction at the 5' end of an exon compared to variant 1, that causes a frameshift. The resulting isoform (3) has a shorter and

distinct C-terminus compared to isoform 1.