

Product datasheet for SC333926

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Siglec 7 (SIGLEC7) (NM_001277201) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: Siglec 7 (SIGLEC7) (NM_001277201) Human Untagged Clone

Tag: Tag Free
Symbol: SIGLEC7

Synonyms: AIRM-1; AIRM1; CD328; CDw328; D-siglec; p75; p75/AIRM1; QA79; SIGLEC-7; SIGLEC19P;

SIGLECP2

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333926 representing NM_001277201.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ATGCTGCTGCTGCTGCCCCCTGCTCTGGGGGAGGAGAGGGTGGAAGGACAGAAGAGTAACCGG
AAGGATTACTCGCTGACGATGCAGAGTTCCGTGACCGTGCAAGAGGGCATGTGTTCCATGTGCGCTGC
TCCTTCTCCTACCCAGTGGACAGCCAGACTGACTCTGACCCAGTTCATGGCTACTGGTTCCGGGCAGGG
AATGATATAAGCTGGAAGGCTCCAGTGGCCACAAACAACCCAGCTTGGGCAGTGCAGGAGAAACTCGG
GACCGATTCCACCTCCTTGGGGACCCACAGACCAAAAATTGCACCCTGAGCATCAGAGATGCCAGAATG
AGTGATGCGGGGAGATACTTCTTTCGTATGGAGAAAGGAAAATATAAAATGGAATTATAAATATGACCAG

CTCTCTGTGAACGTGACAGGGTAA


ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul



Plasmid Map:



ACCN: NM_001277201

Insert Size: 438 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001277201.1</u>

RefSeq Size: 981 bp



Siglec 7 (SIGLEC7) (NM_001277201) Human Untagged Clone - SC333926

 RefSeq ORF:
 438 bp

 Locus ID:
 27036

 UniProt ID:
 Q9Y286

 Cytogenetics:
 19q13.41

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane

MW: 16.7 kDa

Gene Summary: Putative adhesion molecule that mediates sialic-acid dependent binding to cells.

Preferentially binds to alpha-2,3- and alpha-2,6-linked sialic acid. Also binds

disialogangliosides (disialogalactosyl globoside, disialyl lactotetraosylceramide and disialyl GalNAc lactotetraoslylceramide). The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface. In the immune response, may act as an inhibitory receptor upon ligand induced tyrosine phosphorylation by recruiting cytoplasmic

phosphatase(s) via their SH2 domain(s) that block signal transduction through dephosphorylation of signaling molecules. Mediates inhibition of natural killer cells

cytotoxicity. May play a role in hemopoiesis. Inhibits differentiation of CD34+ cell precursors towards myelomonocytic cell lineage and proliferation of leukemic myeloid cells (in vitro).

[UniProtKB/Swiss-Prot Function]

Transcript Variant: This variant (3) lacks all internal coding exons, compared to variant 1. The

resulting isoform (3) is C-terminal truncated, compared to isoform 1.