

# **Product datasheet for SC333984**

## SURF4 (NM 001280793) Human Untagged Clone

### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** SURF4 (NM\_001280793) Human Untagged Clone

Tag:Tag FreeSymbol:SURF4Synonyms:ERV29

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC333984 representing NM\_001280793.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

GGCCCTGGGGGTGTCTCCATGGATGAGAAGAAGAAGAAGGAGTGG<mark>TAA</mark>

**ACGCGTACGCGCCCCTC**GAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### Plasmid Map:



**ACCN:** NM\_001280793

**Insert Size:** 459 bp

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 001280793.1



### SURF4 (NM\_001280793) Human Untagged Clone - SC333984

RefSeq Size: 2991 bp
RefSeq ORF: 459 bp
Locus ID: 6836
Cytogenetics: 9q34.2

**Protein Families:** Transmembrane

**MW:** 16.9 kDa

**Gene Summary:** This gene is located in the surfeit gene cluster, which is comprised of very tightly linked

housekeeping genes that do not share sequence similarity. The encoded protein is a conserved integral membrane protein that interacts with endoplasmic reticulum-Golgi intermediate compartment proteins. Disruption of this gene results in reduced numbers of endoplasmic reticulum-Golgi intermediate compartment clusters and redistribution of coat protein I to the cytosol. Alternate splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2013]

Transcript Variant: This variant (7) lacks an exon in its 5' UTR and initiates translation at a downstream start codon, compared to variant 1. The encoded isoform (6) has a shorter N-

terminus, compared to isoform 1.