

Product datasheet for **SC334006**

PRKCBP1 (ZMYND8) (NM_001281769) Human Untagged Clone

Product data:


Product Type:	Expression Plasmids
Product Name:	PRKCBP1 (ZMYND8) (NM_001281769) Human Untagged Clone
Tag:	Tag Free
Symbol:	ZMYND8
Synonyms:	PRKCBP1; PRO2893; RACK7
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC334006 representing NM_001281769. Blue=Insert sequence Red=Cloning site Green=Tag(s)

```
GCTCGTTTAGTGAACCGTCAGAATTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCATCCACAGAGCTTGGCTGAAGAGGAAATAAAAACAGAACAGGAGGTGGTAGAGGGCATGGATATC
TCTACTCGCTCAAAGATCCTGGCTCTGCAGAGAGAACAGCCCAGAAAAGAAAGTTCCCCAGCCCTCCA
CATTCTTCCAATGGCCACTCGCCGAGGACACATCAACAAGCCCCATTAAAAAGAAAAGAAACCTGGC
TTACTGAACAGTAACAATAAGGAGCAGTCAGAATAAGACATGGTCCGTTTTACTATATGAAGCAGCCA
CTCACCACAGACCCTGTTGATGTTGTACCGCAGGATGGACGGAATGATTTCTACTGCTGGGTTTGTAC
CGGAAGGCCAAGTCCTTTGCTGTGAGCTCTGTCCCCGGTTTATCACGCTAAGTGTCTGAGACTGACA
TCGGAACCAGAGGGGACTGGTTTTGCTCCTGAATGTGAGGTTAGTTCCTGA
ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:


ACCN: NM_001281769

Insert Size: 465 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001281769.1](https://www.ncbi.nlm.nih.gov/RefSeq/record/NM_001281769.1)

RefSeq Size: 1288 bp

RefSeq ORF: 465 bp

Locus ID: 23613

Cytogenetics: 20q13.12

Protein Families: Druggable Genome, Transcription Factors

MW: 17.5 kDa

Gene Summary: The protein encoded by this gene is a receptor for activated C-kinase (RACK) protein. The encoded protein has been shown to bind in vitro to activated protein kinase C beta I. In addition, this protein is a cutaneous T-cell lymphoma-associated antigen. Finally, the protein contains a bromodomain and two zinc fingers, and is thought to be a transcriptional regulator. Multiple transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]
Transcript Variant: This variant (4) lacks several exons and its 3'-terminal exon extends past a splice site that is used in variant 1. The encoded isoform (d) has a shorter and distinct C-terminus, compared to isoform a.