

## Product datasheet for **SC334012**

### Sigma1 receptor (SIGMAR1) (NM\_001282205) Human Untagged Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	Sigma1 receptor (SIGMAR1) (NM_001282205) Human Untagged Clone
Tag:	Tag Free
Symbol:	SIGMAR1
Synonyms:	ALS16; DSMA2; hSigmaR1; OPRS1; SIG-1R; sigma1R; SR-BP; SR-BP1; SRBP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC334012 representing NM_001282205. Blue=Insert sequence Red=Cloning site Green=Tag(s)


```
GCTCGTTTAGTGAACCGTCAGAATTTTGTAAACGACTCACTATAGGGCGCCGGGAATTCGTCGACTG
GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC
ATGCAGTGGGCCGTGGCCGGCGTGGCGTGGCCGCGCTGCTCCTGGCTGTCGCAGCGGTGCTGACC
CAGGTCGTCTGGCTCTGGCTGGGTACGCAGAGCTTCGTCTCCAGCGGAAGAGATAGCGCAGTTGGCG
CGGCAGTACGCTGGCTGGACCACGAGCTGGCCTTCTCTCGTCTGATCGTGGAGCTGCGGCGGCTGCAC
CCAGGCCACGTGCTGCCGACGAGGAGCTGCAGTGGGTGTTTCGTAATGCGGGTGGCTGGATGGGCGCC
ATGTGCCCTTCTGCACGCCTCGTGTCCGAGTATGTGCTGCTTTCGGCACCGCCTTGGGCTCCCGCGGC
CACTCGGGCGCTACTGGGCTGAGATCTCGGATACCATCATCTCTGGCACCTTCCACCAGTGGAGAGAG
GGCACCACAAAAGTGAAGTCTTCTACCCAGGACCTTGACCAGCCAGGCCTGA
ACGCGTACGCGGCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT
TACAAGGATGACGACGATAAGGTTAAACGGCCGGC
```

Restriction Sites: Sgfl-Mlul



[View online »](#)

Plasmid Map:



ACCN: NM\_001282205

Insert Size: 468 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM\\_001282205.1](#)

RefSeq Size:	1510 bp
RefSeq ORF:	468 bp
Locus ID:	10280
UniProt ID:	<a href="#">Q99720</a>
Cytogenetics:	9p13.3
Protein Families:	Druggable Genome, GPCR, Transmembrane
MW:	17.5 kDa
Gene Summary:	<p>This gene encodes a receptor protein that interacts with a variety of psychotomimetic drugs, including cocaine and amphetamines. The receptor is believed to play an important role in the cellular functions of various tissues associated with the endocrine, immune, and nervous systems. As indicated by its previous name, opioid receptor sigma 1 (OPRS1), the product of this gene was erroneously thought to function as an opioid receptor; it is now thought to be a non-opioid receptor. Mutations in this gene has been associated with juvenile amyotrophic lateral sclerosis 16. Alternative splicing of this gene results in transcript variants encoding distinct isoforms. [provided by RefSeq, Aug 2013]</p> <p>Transcript Variant: This variant (6) uses an alternate splice site in the 3'-terminal exon, compared to variant 1. The encoded isoform (6) has a shorter and distinct C-terminus, compared to isoform 1.</p>