

Product datasheet for SC334040

DHRS4 (NM 001282991) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: DHRS4 (NM_001282991) Human Untagged Clone

Tag: Tag Free Symbol: DHRS4

Synonyms: CR; NRDR; PHCR; PSCD; SCAD-SRL; SDR-SRL; SDR25C1; SDR25C2

Mammalian Cell Neomycin

Selection:

Vector:

pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Fully Sequenced ORF: >SC334040 representing NM_001282991.

Blue=Insert sequence Red=Cloning site Green=Tag(s)

GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGCCCCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGAT

TACAAGGATGACGACGATAAGGTTTAAACGGCCGGC

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Plasmid Map:



ACCN: NM_001282991

Insert Size: 477 bp

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001282991.1</u>



DHRS4 (NM_001282991) Human Untagged Clone - SC334040

RefSeq Size: 955 bp
RefSeq ORF: 477 bp
Locus ID: 10901
UniProt ID: Q9BTZ2
Cytogenetics: 14q11.2

Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Retinol metabolism

MW: 16.9 kDa

Gene Summary: Reduces all-trans-retinal and 9-cis retinal. Can also catalyze the oxidation of all-trans-retinol

with NADP as co-factor, but with much lower efficiency. Reduces alkyl phenyl ketones and alpha-dicarbonyl compounds with aromatic rings, such as pyrimidine-4-aldehyde, 3-benzoylpyridine, 4-benzoylpyridine, menadione and 4-hexanoylpyridine. Has no activity towards aliphatic aldehydes and ketones (By similarity).[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (6) lacks four alternate coding exons, but maintains the reading frame, compared to variant 1. The encoded isoform (6) is shorter than isoform 1.