

Product datasheet for SC334114

Slap (SLA) (NM_001282965) Human Untagged Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Broduct Typo	Everaccion Diacmida
Product Type:	Expression Plasmids
Product Name:	Slap (SLA) (NM_001282965) Human Untagged Clone
Tag:	Tag Free
Symbol:	Slap
Synonyms:	SLA1; SLAP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>SC334114 representing NM_001282965. Blue=Insert sequence Red=Cloning site Green=Tag(s)
	GCTCGTTTAGTGAACCGTCAGAATTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTG GATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC ATGATCAGAGAGAGAGTGAGACCAAGAAAGGGTTTTACTCACTGTCGGTGAGACACAGGCAGG
Restriction Sites:	Sgfl-Mlul
ACCN:	NM_001282965
Insert Size:	507 bp
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

ORÎGENE Slap (S	LA) (NM_001282965) Human Untagged Clone – SC334114
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001282965.1</u>
RefSeq Size:	3096 bp
RefSeq ORF:	507 bp
Locus ID:	6503
UniProt ID:	<u>Q13239</u>
Cytogenetics:	8q24.22
Protein Families:	Druggable Genome
MW:	19.3 kDa
Gene Summary:	Adapter protein, which negatively regulates T-cell receptor (TCR) signaling. Inhibits T-cell antigen-receptor induced activation of nuclear factor of activated T-cells. Involved in the negative regulation of positive selection and mitosis of T-cells. May act by linking signaling proteins such as ZAP70 with CBL, leading to a CBL dependent degradation of signaling proteins.[UniProtKB/Swiss-Prot Function] Transcript Variant: This variant (5) lacks an exon in the 5' UTR which results in the use of an downstream start codon compared to variant 1. The encodoed isoform (e) has a shorter N- terminus compared to isoform a. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference

genome assembly. The genomic coordinates used for the transcript record were based on

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

transcript alignments.