

Product datasheet for SC334366

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SEC13L1 (SEC13) (NM_001278946) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: SEC13L1 (SEC13) (NM 001278946) Human Untagged Clone

Tag: Tag Free Symbol: SEC13

Synonyms: D3S1231E; npp-20; SEC13L1; SEC13R

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001278946, the custom clone sequence may differ by one or

more nucleotides

Restriction Sites: Sgfl-Mlul

ACCN: NM 001278946

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001278946.1, NP 001265875.1</u>

RefSeq Size: 985 bp
RefSeq ORF: 585 bp
Locus ID: 6396
Cytogenetics: 3p25.3

Gene Summary: The protein encoded by this gene belongs to the SEC13 family of WD-repeat proteins. It is a

constituent of the endoplasmic reticulum and the nuclear pore complex. It has similarity to the yeast SEC13 protein, which is required for vesicle biogenesis from endoplasmic reticulum during the transport of proteins. Multiple alternatively spliced transcript variants have been

found. [provided by RefSeq, Oct 2008]

Transcript Variant: This variant (5) differs in both UTRs and the 5' and 3' coding regions, compared to variant 3. It encodes isoform 5 which is shorter and has distinct N- and C-

termini, compared to isoform 3.