

## **Product datasheet for SC334410**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HMG4 (HMGB3) (NM\_001301228) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: HMG4 (HMGB3) (NM\_001301228) Human Untagged Clone

Tag: Tag Free
Symbol: HMGB3

Synonyms: HMG-2a; HMG-4; HMG2A; HMG4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001301228, the custom clone sequence may differ by one or

more nucleotides

GGAGGAGGAGGAGGAGGAGGAGGAGGATGAATAA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001301228

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





**Reconstitution Method:** 

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001301228.1</u>, <u>NP 001288157.1</u>

RefSeq Size: 3676 bp
RefSeq ORF: 603 bp
Locus ID: 3149
UniProt ID: O15347
Cytogenetics: Xq28

**Protein Families:** Transcription Factors

Gene Summary: This gene encodes a member of a family of proteins containing one or more high mobility

transcript record were based on transcript alignments.

group DNA-binding motifs. The encoded protein plays an important role in maintaining stem cell populations, and may be aberrantly expressed in tumor cells. A mutation in this gene was associated with microphthalmia, syndromic 13. There are numerous pseudogenes of this gene on multiple chromosomes. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Jul 2014]

Transcript Variant: This variant (1) represents the longest transcript and encodes the shorter isoform (a). Variants 1, 2, and 3 encode the same isoform (a). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the