

Product datasheet for SC334683

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RhoGDI (ARHGDIA) (NM_001301240) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: RhoGDI (ARHGDIA) (NM_001301240) Human Untagged Clone

Tag: Tag Free Symbol: ARHGDIA

Synonyms: GDIA1; HEL-S-47e; NPHS8; RHOGDI; RHOGDI-1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001301240, the custom clone sequence may differ by one or

more nucleotides

Restriction Sites: Sgfl-Mlul

ACCN: NM 001301240

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





RhoGDI (ARHGDIA) (NM_001301240) Human Untagged Clone - SC334683

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001301240.1</u>, <u>NP 001288169.1</u>

RefSeq Size: 1516 bp
RefSeq ORF: 708 bp
Locus ID: 396
UniProt ID: P52565
Cytogenetics: 17q25.3

Protein Families: Druggable Genome

Protein Pathways: Neurotrophin signaling pathway

Gene Summary: This gene encodes a protein that plays a key role in the regulation of signaling through Rho

GTPases. The encoded protein inhibits the disassociation of Rho family members from GDP (guanine diphosphate), thereby maintaining these factors in an inactive state. Activity of this protein is important in a variety of cellular processes, and expression of this gene may be altered in tumors. Mutations in this gene have been found in individuals with nephrotic syndrome, type 8. Alternate splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2014]

Transcript Variant: This variant (4) differs in the 5' UTR and lacks an alternate segment in the 3' coding region, which results in a frameshift, compared to variant 1. The encoded isoform (c)

is longer than isoform a. Variants 4 and 5 encode the same isoform (c).