

Product datasheet for SC334702

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

RAB23 (NM_001278667) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: RAB23 (NM_001278667) Human Untagged Clone

Tag: Tag Free

Symbol: RAB23

Synonyms: HSPC137

Vector: pCMV6 series

Fully Sequenced ORF: >NCBI ORF sequence for NM_001278667, the custom clone sequence may differ by one or

more nucleotides

GTAGCATACCCTAA

Restriction Sites: Sgfl-Mlul

ACCN: NM 001278667

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).





Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 001278667.1</u>, <u>NP 001265596.1</u>

 RefSeq Size:
 4540 bp

 RefSeq ORF:
 714 bp

 Locus ID:
 51715

 UniProt ID:
 Q9ULC3

Cytogenetics: 6p12.1-p11.2

Protein Families: Druggable Genome

Protein Pathways: Hedgehog signaling pathway

Gene Summary: This gene encodes a small GTPase of the Ras superfamily. Rab proteins are involved in the

regulation of diverse cellular functions associated with intracellular membrane trafficking, including autophagy and immune response to bacterial infection. The encoded protein may play a role in central nervous system development by antagonizing sonic hedgehog signaling. Disruption of this gene has been implicated in Carpenter syndrome as well as cancer.

Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013] Transcript Variant: This variant (4) differs in the 5' UTR compared to variant 1. Variants 1-5 encode the same protein. Sequence Note: This RefSeq record was created from transcript and

genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript

alignments.