

Product datasheet for SC334788

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ST3GAL6 (NM 001271142) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: ST3GAL6 (NM_001271142) Human Untagged Clone

Tag: Tag Free Symbol: ST3GAL6

Synonyms: SIAT10; ST3GALVI

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001271142, the custom clone sequence may differ by one or

more nucleotides

Restriction Sites: Sgfl-Rsrll

ACCN: NM 001271142

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





ST3GAL6 (NM_001271142) Human Untagged Clone - SC334788

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001271142.1</u>, <u>NP 001258071.1</u>

RefSeq Size: 3458 bp
RefSeq ORF: 738 bp
Locus ID: 10402
Cytogenetics: 3q12.1

Protein Families: Transmembrane

Protein Pathways: Glycosphingolipid biosynthesis - lacto and neolacto series, Metabolic pathways

Gene Summary: The protein encoded by this gene is a member of the sialyltransferase family. Members of

this family are enzymes that transfer sialic acid from the activated cytidine 5'-monophospho-N-acetylneuraminic acid to terminal positions on sialylated glycolipids (gangliosides) or to the

N- or O-linked sugar chains of glycoproteins. This protein has high specificity for

neolactotetraosylceramide and neolactohexaosylceramide as glycolipid substrates and may contribute to the formation of selectin ligands and sialyl Lewis X, a carbohydrate important

for cell-to-cell recognition and a blood group antigen. [provided by RefSeq, Apr 2016] Transcript Variant: Variants 2, 10 and 11 encode the same isoform (2). Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence

consistent with the reference genome assembly. The genomic coordinates used for the

transcript record were based on transcript alignments.