

## **Product datasheet for SC334812**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RhoGDI (ARHGDIA) (NM\_001301243) Human Untagged Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: RhoGDI (ARHGDIA) (NM\_001301243) Human Untagged Clone

Tag: Tag Free Symbol: ARHGDIA

Synonyms: GDIA1; HEL-S-47e; NPHS8; RHOGDI; RHOGDI-1

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM\_001301243, the custom clone sequence may differ by one or

more nucleotides

**Restriction Sites:** Sgfl-Mlul

**ACCN:** NM 001301243

**OTI Disclaimer:** Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





## RhoGDI (ARHGDIA) (NM\_001301243) Human Untagged Clone - SC334812

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001301243.1</u>, <u>NP 001288172.1</u>

 RefSeq Size:
 2055 bp

 RefSeq ORF:
 750 bp

 Locus ID:
 396

 UniProt ID:
 P52565

 Cytogenetics:
 17q25.3

**Protein Families:** Druggable Genome

**Protein Pathways:** Neurotrophin signaling pathway

**Gene Summary:** This gene encodes a protein that plays a key role in the regulation of signaling through Rho

GTPases. The encoded protein inhibits the disassociation of Rho family members from GDP (guanine diphosphate), thereby maintaining these factors in an inactive state. Activity of this protein is important in a variety of cellular processes, and expression of this gene may be altered in tumors. Mutations in this gene have been found in individuals with nephrotic syndrome, type 8. Alternate splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2014]

Transcript Variant: This variant (7) differs in the 5' UTR and contains an alternate segment in the central coding region, but maintains the reading frame, compared to variant 1. The

encoded isoform (e) is longer than isoform a.