

Product datasheet for SC334826

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RHD (NM_001282867) Human Untagged Clone

Product data:

Product Type: Expression Plasmids

Product Name: RHD (NM 001282867) Human Untagged Clone

Tag: Tag Free Symbol: RHD

Synonyms: CD240D; DIIIc; RH; Rh4; RH30; RHCED; RhDCw; RHDel; RHDVA(TT); RhII; RhK562-II; RhPI; RHPII;

RHXIII

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Fully Sequenced ORF: >NCBI ORF sequence for NM_001282867, the custom clone sequence may differ by one or

more nucleotides

AATATTTTGATGACCAAGTTTTCTGGAAGTTTCCTCATTTGGCTGTTGGATTT<mark>TAA</mark>

Restriction Sites: Sgfl-Mlul

ACCN: NM 001282867

OTI Disclaimer: Our molecular clone sequence data has been matched to the reference identifier above as a

point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).





Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001282867.1, NP 001269796.1</u>

RefSeq Size: 2833 bp
RefSeq ORF: 756 bp
Locus ID: 6007
Cytogenetics: 1p36.11

Protein Families: Transmembrane

Gene Summary: The Rh blood group system is the second most clinically significant of the blood groups,

second only to ABO. It is also the most polymorphic of the blood groups, with variations due to deletions, gene conversions, and missense mutations. The Rh blood group includes this gene, which encodes the RhD protein, and a second gene that encodes both the RhC and RhE antigens on a single polypeptide. The two genes, and a third unrelated gene, are found in a cluster on chromosome 1. The classification of Rh-positive and Rh-negative individuals is determined by the presence or absence of the highly immunogenic RhD protein on the surface of erythrocytes. Multiple transcript variants encoding different isoforms have been

found for this gene. [provided by RefSeq, Jul 2008]

Transcript Variant: This variant (3) uses an alternate splice junction at the 5' end of an exon compared to variant 1. This difference causes translation initiation at a downstream AUG and results in an isoform (3) with a shorter N-terminus compared to isoform 1. Sequence Note: This RefSeq record was created from transcript and genomic sequence data to make the sequence consistent with the reference genome assembly. The genomic coordinates used for