

## Product datasheet for SC334903

## IKZF3 (NM\_001284515) Human Untagged Clone

## **Product data:**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	IKZF3 (NM_001284515) Human Untagged Clone
Tag:	Tag Free
Symbol:	IKZF3
Synonyms:	AIO; AIOLOS; ZNFN1A3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Fully Sequenced ORF:	>NCBI ORF sequence for NM_001284515, the custom clone sequence may differ by one or more nucleotides
	ATGGGAAGTGAAAGAGCTCTCGTACTGGACAGATTAGCAAGCA
<b>Restriction Sites:</b>	Sgfl-Mlul
ACCN:	NM_001284515
OTI Disclaimer:	Our molecular clone sequence data has been matched to the reference identifier above as a point of reference. Note that the complete sequence of our molecular clones may differ from the sequence published for this corresponding reference, e.g., by representing an alternative

RNA splicing form or single nucleotide polymorphism (SNP).



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

<b>ORIGENE</b> IKZF3 (NM_001284515) Human Untagged Clone – SC334903	
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001284515.1, NP 001271444.1</u>
RefSeq Size:	9644 bp
RefSeq ORF:	789 bp
Locus ID:	22806
UniProt ID:	<u>Q9UKT9</u>
Cytogenetics:	17q12-q21.1
Gene Summary:	This gene encodes a member of the Ikaros family of zinc-finger proteins. Three members of this protein family (Ikaros, Aiolos and Helios) are hematopoietic-specific transcription factors involved in the regulation of lymphocyte development. This gene product is a transcription factor that is important in the regulation of B lymphocyte proliferation and differentiation. Both Ikaros and Aiolos can participate in chromatin remodeling. Regulation of gene

some non-protein coding variants. [provided by RefSeq, Apr 2012]

expression in B lymphocytes by Aiolos is complex as it appears to require the sequential formation of Ikaros homodimers, Ikaros/Aiolos heterodimers, and Aiolos homodimers. Several alternative transcripts encoding different isoforms have been described, as well as

Transcript Variant: This variant (15) uses an alternate 5' exon structure and thus differs in the 5' UTR and 5' coding region, compared to variant 1. These differences cause translation initiation at a downstream start codon and result in an isoform (14) with a shorter N-terminus, compared to isoform 1. Variants 14, 15, and 16 encode the same isoform (14). Sequence Note: This RefSeq record was created from transcript and genomic sequence data

to make the sequence consistent with the reference genome assembly. The genomic coordinates used for the transcript record were based on transcript alignments.

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US